

APPENDIX to Fraser, N. (2026). Singing our own praises: *The Whistler* celebrates 20 years of publication. *The Whistler* 20 (2026): 87-89.

Listed below are citations of articles published in *The Whistler* from 2007 to 2025. Citations from external publications are listed in full. Citations from articles within *The Whistler* are listed as number of articles.

<i>The Whistler</i> Vol No	Article	Citations
Vol 1 (2007)	Herbert, C. (2007). Birds on Newcastle's rock platforms	<i>The Whistler</i> , 1 article.
	Stuart, A. (2007). Surveys of waterbirds in Port Stephens, 2004-2006	<i>The Whistler</i> , 5 articles.
	Newman, M. (2007). Bird population of a cattle property near Paterson, NSW – an eleven-year study	• Newman, M. (2012). Fluctuations in numbers of Grey Fantails in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 29. • Carlson, A.J. (2014). Breeding biology of the Olive-backed Oriole '<i>Oriolus Sagittatus</i>' on the mid-north coast of New South Wales, <i>Australian Field Ornithology</i> 31. • <i>The Whistler</i>, 14 articles
	McDonald, R. (2007). Ecological adaptations for Large-billed, Yellow-throated and White-browed Scrubwrens	• Chadwick A. <i>et al.</i> (2022). Natural and anthropogenic processes influence the occurrence of vertebrate fauna in coastal dunes. <i>Estuarine, Coastal and Shelf Science</i> 276. • Chadwick A. (2024). Influences of natural and anthropogenic processes on the occurrence of fauna in coastal dunes. Honours Thesis, Deakin University. • <i>The Whistler</i>, 1 article.
	Herbert, C. (2007). Mangrove proliferation and saltmarsh loss in the Hunter Estuary	• Williamson, D.J. <i>et al.</i> (2011). Late 20th century mangrove encroachment in the coastal Australian monsoon tropics parallels the regional increase in woody biomass. <i>Regional Environmental Change</i> 11. • Beranek, C. <i>et al.</i> (2024). Lovers in strange places: amphibian calling and amplexus detected in tidal mangrove creeks after rainfall. <i>Australian Journal of Zoology</i> 71. • Brereton, R. and Taylor-Wood, E. (2010). Ecological Character Description of the Kooragang Component of the Hunter Estuary Wetlands Ramsar Site. (Report to the Department of Sustainability, Environment, Water, Population and Communities (SEWPAC), Canberra.) • <i>The Whistler</i>, 2 articles
	Newman, M. (2007). Occurrence of Red-backed Fairy-wren and Southern Emu-wren at Warekeila	• <i>The Whistler</i>, 1 article
	Newman, M. and Lindsey, A. (2007). The status of Black Falcon in the Lower Hunter Valley	• Debus, S. (2022). <i>Australian Falcons. Ecology, Behaviour and Conservation.</i> (CSIRO Publishing.) • Barnes, C.P. and Debus, S. (2012). A snapshot in the post-fledging period of the Black Falcon. <i>Australian Field Ornithology</i> 29. • <i>The Whistler</i>, 1 article
	Newman, A. (2007). Varied Sittella involved in distraction displays during June	• <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 2 (2008)	Lindsey, A. (2008). The birds of Deep Pond – Kooragang Island 1993-2007	• Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • Newman, M. and Lindsey, A. (2011). A ten-year study of shorebirds at the Morpeth Wastewater Treatment Works. <i>Stilt</i> 60.
	Stuart, A. (2008). A preliminary assessment of the importance of the Manning River for shorebirds and other waterbirds	• Golawski, A. <i>et al.</i> (2025). Geographical and Habitat Factors Affecting Migratory Waterbirds Along Rivers in the Palearctic. <i>Freshwater Biology</i> 70. • Stuart, A. (2014). Manning estuary population counts 2008-2013. <i>Stilt</i> 65. • <i>The Whistler</i>, 3 articles
	Tarrant, H. (2008). Smaller bird species in decline in the south-west Hunter? The lessons of ten years of atlas data	• Newman, M. (2012). Fluctuations in numbers of Grey Fantails in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 29. • Rawsthorne, J. (2016). Presence and breeding of the Spiny-checked Honeyeater in central New South Wales. <i>Australian Field Ornithology</i> 33. • <i>The Whistler</i>, 4 articles
	Newman, M. and Lindsey, A. (2008). Bird population of Warakeila, a cattle property in the Allyn River Valley, NSW – a twelve-year study	• Newman, M. (2012). Fluctuations in numbers of Grey Fantails in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 29. • <i>The Whistler</i>, 6 articles
	Newman, M. (2008). Miscellaneous observations of the feeding behaviour and plumage of the Latham's Snipe	• <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 3 (2009)	Goodenough, C. (2009). The effect of habitat variable on bird density and species richness in Newcastle and Lake Macquarie mangrove forests	• Branoff, B.L. and Campos-Cerqueira, M. (2021). The Role of Urbanity, Vegetation Structure, and Scale in Shaping Puerto Rico's Acoustically Active Mangrove Fauna Communities. <i>Frontiers in Marine Science</i> 8. • De Kluyver, T. <i>et al.</i> (2023). IUCN Red List of Ecosystems, Mangroves of the Northwest Australia and Sahul Shelf. <i>EcoEvoRxiv</i>.
	Newman, M. (2009). Birds of Green Wattle Creek – monthly surveys 1996-2009	• Newman, M. (2012). Fluctuations in numbers of Grey Fantails in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 29. • Newman, M. (2014). Response of eight bird species to woodland rehabilitation at green wattle creek in the hunter region of New South Wales. <i>Australian Field Ornithology</i> 31. • <i>The Whistler</i>, 17 articles
	Crawford, L. and Herbert, C. (2009). Roosting and feeding behaviour of Pacific Golden Plover in the Hunter Estuary, NSW	• Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • Stuart, A., <i>et al.</i> (2013). Hunter Estuary Population counts 1999-2010. <i>Stilt</i> 63–64. • <i>The Whistler</i>, 1 article
	Stuart, A. (2009). Early Hunter Region avian records. Part 1. 1901-1925 articles in <i>The Emu</i>	• <i>The Whistler</i>, 4 articles
	Stuart, A. and Newling, G. (2009). Notes on an old Upper Hunter egg collection	• <i>The Whistler</i>, 2 articles
	Lindsey, A. (2009). Some observations on the behaviour of the Australian Painted Snipe	• Grégoire, M., <i>et al.</i> (2026). Global review of shorebird tracking data to identify research gaps and conservation priorities. <i>Conservation Biology</i> 40. • <i>The Whistler</i>, 2 articles
	Newman, M. and Lindsey, A. (2009). Curlew Sandpiper predated by a Black Falcon	• Debus, S. (2022). Australian Falcons. Ecology, Behaviour and Conservation. (CSIRO Publishing.) • Newman, M., <i>et al.</i> (2020). Changes in migratory shorebird numbers and distribution in south-east Tasmania. <i>Stilt</i> 73-74. • <i>The Whistler</i>, 3 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 4 (2010)	Roderick, M. and Stuart, A. (2010). The status of threatened bird species in the Hunter Region	• Crates, R. and Heinsohn, R. (2025). Quantifying the cumulative impact of winter habitat loss on a critically endangered migratory parrot. <i>Conservation Science and Practice</i> 7. • Mo, M., <i>et al.</i> (2024). Piscivory in the Comb-crested Jacana 'Irediparra gallinacea'. <i>Australian Field Ornithology</i> 41. • Mo, M. and Mo, E. (2024). Current knowledge of the poorly studied diet of the comb-crested jacana (Irediparra gallinacea). <i>Ornithology Research</i> 32. • Wei Liu, <i>et al.</i> (2016). The complete mitochondrial genome of Terek sandpiper, <i>Xenus cinereus</i> (Charadriiformes: Scolopacidae). Mitochondrial DNA Part B, Resources, 1 • <i>The Whistler</i>, 14 articles • HBOC (2015). RE: Soldiers Point marina expansion (Re: DA No. 16-2015-586-1) • HBOC (2013). RE: Soldiers Point marina expansion (Re: DA No. 16-2012-57 1)
	Newman, M., <i>et al.</i> (2010). Distribution of threatened bird species in the Hunter Region (1998-2009)	• <i>The Whistler</i>, 6 articles
	Newman, M. (2010). Impacts on Speckled Warbler abundance in the Paterson area of NSW	• Newman, M. (2014). Response of eight bird species to woodland rehabilitation at Green Wattle Creek in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 31. • Newman, M. (2012). Fluctuations in numbers of Grey Fantails in the Hunter region of New South Wales. <i>Australian Field Ornithology</i> 29. • Ferrato, J.R. and Reemts, C.M. (2021). Golden-cheeked Warbler detection in an urban area. <i>Bulletin Texas Ornithological Society</i> 54. • <i>The Whistler</i>, 8 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 5 (2011) part 1	Maddock, M. (2011). Breeding population decline in Cattle Egrets nesting at Seaham Swamp Nature Reserve and Hunter Wetlands Centre Australia	• <i>The Whistler</i>, 1 article
	Drake-Brockman, P. (2011). A new Cattle Egret breeding colony at Gloucester, NSW	• <i>The Whistler</i>, 3 articles
	Newman, M. and Lindsey, A. (2011). A ten-year study of herons, spoonbills and ibis at the Morpeth Wastewater Treatment Works near Maitland, NSW	• Rodrigues, M.S., <i>et al.</i> (2022). Habitat selection and ontogeny of habitat use by juvenile Eurasian Spoonbill <i>Platalea leucorodia</i> revealed by GPS tracking. <i>Bird Conservation International</i> 33. • Thompson, E. K., Keenan, R. J. & Kelly, L. T. (2025). Influence of landscape composition and configuration on birds in working lands with extensive forest plantations. <i>Landscape Ecology</i> 40. • Newman, M. and Lindsey, A. (2011). A ten-year study of shorebirds at the Morpeth Wastewater Treatment Works. <i>Stilt</i> 60. • <i>The Whistler</i>, 2 articles
	Newman, M. and Stuart, A. (2011). Monitoring the Rufous Scrub-bird in the Barrington Tops and Gloucester Tops IBA – a pilot study	• Stojanovic, D. (2024). Designing fit-for-purpose monitoring – A case study of a cryptic songbird. <i>Animal Conservation</i> 28. • Stuart, A. and Newman, M. (2018). Rufous scrub-birds 'Atrichornis rufescens' in the Gloucester tops of New South Wales: Findings from surveys in 2010-2016. <i>Australian Field Ornithology</i> 35. • Newman, M. and Stuart, A. (2014). Rufous Scrub-bird 'Atrichornis rufescens' monitoring at the extremities of the species' range in New South Wales (2010-2012). <i>Australian Field Ornithology</i> 31. • Stuart, A. and O'Leary, M. (2019). A method for investigating Rufous Scrub-birds using automated recording and rapid, semi-automated data analysis. <i>Corella</i> 43. • Andren, M. (2016). Monitoring the Rufous Scrub-bird <i>Atrichornis rufescens</i> in the New England region. <i>Corella</i> 40. • Stuart, A. (2019). Sizes of some Rufous Scrub-bird singing areas in the Gloucester Tops. <i>Australian Field Ornithology</i> 35. • Andren, M., <i>et al.</i> (2022). Territory occupancy by Southern Rufous Scrub-birds <i>Atrichornis rufescens ferrieri</i> in the New England region, New South Wales monitored over two decades. <i>Corella</i> 46. • Stuart, A. and O'Leary, M. (2021). Singing behaviour of male Rufous Scrub-birds in the New South Wales Gloucester Tops. <i>Corella</i> 45. • <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 5 (2011) part 2	Tarrant, H. (2011). Changes in the bird population of Bolwarra, 1994-2011	• <i>The Whistler</i>, 1 article
	Lindsey, A. and Roderick, M. (2011). Chestnut Teal count – March 2011	• Petrov, R. and Nikolov, A. (2026). Hybridisation between different species of waterfowl. <i>Biodiversity Data Journal</i> 14. • <i>The Whistler</i>, 4 articles
	Tarrant, H. (2011). Miscellaneous notes on the behaviour of Black and Brown Falcons and Nankeen Kestrels	Debus, S. (2022). Australian Falcons. Ecology, Behaviour and Conservation. (CSIRO Publishing)
	Newman, M. (2011). Unrecorded behaviour of Jacky Winter	• <i>The Whistler</i>, 2 articles
Vol 6 (2012)	Stuart, A., <i>et al.</i> (2012). Development of a non-intrusive method for investigating the calling patterns of Rufous Scrub-birds	• Stuart, A. and Newman, M. (2018). Rufous scrub-birds 'Atrichornis rufescens' in the Gloucester Tops of New South Wales: Findings from surveys in 2010-2016. <i>Australian Field Ornithology</i> 35. • Newman, M. and Stuart, A. (2014). Rufous Scrub-bird 'Atrichornis rufescens' monitoring at the extremities of the species' range in New South Wales (2010-2012). <i>Australian Field Ornithology</i> 31. • Andren, M. (2016). Monitoring the Rufous Scrub-bird Atrichornis rufescens in the New England region. <i>Corella</i> 40. • Stuart, A. (2019). Sizes of some Rufous Scrub-bird singing areas in the Gloucester Tops. <i>Australian Field Ornithology</i> 35. • Stuart, A. and Newman, M. (2018). Rufous scrub-birds 'Atrichornis rufescens' in the Gloucester Tops of New South Wales: Findings from surveys in 2010-2016. <i>Australian Field Ornithology</i> 35. • <i>The Whistler</i>, 1 article
	Russell, N. and George, R. (2012). Australian Pied Oystercatchers leapfrog to reproductive success in the Worimi Conservation Lands	• Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • <i>The Whistler</i>, 3 articles
	Roderick, M. and Ingwersen, D. (2012). Observations of Regent Honeyeaters in the lower Hunter Valley of New South Wales during winter 2012	• Roderick, M., <i>et al.</i> (2014). Significant breeding event of Regent Honeyeaters Anthochaera phrygia near Kurri Kurri, New South Wales, during spring 2007. <i>Australian Field Ornithology</i> 31. • Roderick, M. (2013). Regent honeyeaters and eucalypt diversity in the Cessnock area of New South Wales. <i>Australian Plant Conservation</i> 22. • <i>The Whistler</i>, 2 articles
	Newman, M. (2012). Olive groves – habitat for Speckled Warbler and other birds	• <i>The Whistler</i>, 3 articles
	Stuart, A., <i>et al.</i> (2012). Atypical habitat for an Australian Pelican colony	• <i>The Whistler</i>, 1 article
	Newman, M. (2012). Flocking of Jacky Winter in paddocks during winter	• <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 7 (2013)	Crawford, L. and Herbert, C. (2013). Flagged and colour-banded Bar-tailed Godwits in the Hunter Estuary	• Udumullage, J.J.N.D. (2026). Are longer migration distances in differentially migrating Song Sparrows (<i>Melospiza melodia</i>) associated with greater individual genetic diversity at immune loci (TLR3 and TLR4, MHC class I and II) and/or with larger Adcyap1 alleles? Master of Science Thesis, University of Western Ontario • <i>The Whistler</i>, 2 articles
	Williams, D. (2013). The status of Bassian and Russet-tailed Thrushes in the Hunter Region	• <i>The Whistler</i>, 2 articles
	Wooding, L. and Stuart, A. (2013). Initial findings from a study of Grey-tailed Tattlers in Port Stephens	• Stuart, A., <i>et al.</i> (2015). Nocturnal foraging by Grey-tailed Tattlers <i>Tringa brevipes</i>. <i>Stilt</i> 67. • <i>The Whistler</i>, 3 articles
	Kyte, R. and Newman, M. (2013). Opportunistic response of bird species to a wildfire in saltmarsh at Ash Island, NSW	• Makdissi, R., <i>et al.</i> (2024). The impact of plant-derived fire management prescriptions on fire-responsive bird species. <i>Ecological Applications</i> 34. • Forshaw, J.M. and Knight, F. (2023). Quail, Buttonquail and Plains-wanderer in Australia and New Zealand. (CSIRO publishing) • <i>The Whistler</i>, 1 article
	Newman, M. (2013). Dollarbird departure from the Hunter Region in 2013	• <i>The Whistler</i>, 1 article
	Newman, M. (2013). Association between breeding Noisy Miners and Grey Butcherbirds and the adverse impact of understorey	• Newman, M. and Woehler, E.J. (2025). Population trends of woodland bird species in the Clarence Local Government area, southeast Tasmania. <i>Papers and Proceedings of the Royal Society of Tasmania</i> 159. • <i>The Whistler</i>, 1 article
	Drake-Brockman, P. (2013). Changes in Cattle Egret breeding at Gloucester in response to drought in 2012	• <i>The Whistler</i>, 1 article
	Roderick, M. and Newman, M. (2013). Association between feeding Hardheads and Hoary-headed Grebes	• Moore, H.A., <i>et al.</i> (2023). Probable commensalism between the Grey Fantail and the Western Gerygone: a Western Australian observation. <i>Corella</i> 47. • <i>The Whistler</i>, 1 article
	Newling, G. (2013). Angry Dollarbirds attacking Brown Goshawks	• <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 8 (2014)	Raine, D. (2014). The birds of Wirumbirra, Laguna	• Stuart, A. and Newman, M. (2018). Spring bird communities of a high-altitude area of the Gloucester Tops, New South Wales. <i>Australian Field Ornithology</i> 35. • <i>The Whistler</i>, 4 articles
	Stuart, A. (2014). Early Hunter Region avian records Part 3. A review of historical data about shorebirds in the Hunter Estuary	• Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • Stuart, A. (2016). Records of Sharp-tailed Sandpipers <i>Calidris acuminata</i> in the Hunter Estuary, New South Wales. <i>Stilt</i> 68. • <i>The Whistler</i>, 2 articles
	Lindsey, A. and Newman, M. (2014). Worimi Conservation Lands bird surveys (2009 – 2013)	• Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • <i>The Whistler</i>, 2 articles
	Newman, M. (2014). Birds of the Black Rock area near Martins Creek in the Hunter Valley (1999 – 2013)	• <i>The Whistler</i>, 6 articles
	Warnock, R. (2014). Up-down display of Black-necked Stork at Hexham Swamp, Hunter Wetlands National Park, NSW	• <i>The Whistler</i>, 1 article
	Roderick, M. (2014). Observation of a White-bellied Sea-Eagle taking submerged seabird prey	• Debus, S. (2017). Australian Eagles and Eagle-like birds. (CSIRO Publishing.) • Debus, S. (2019). Birds of prey of Australia. A Field Guide, Third Edition. (CSIRO Publishing.) • Campbell, M.O. (2022). The Great Eagles, their Evolution, Ecology and Conservation. (CRC Press.) • Debus, A. and Davis, J. (2019). Birds of Prey of Australia Third Edition. (CSIRO Publishing.) • Amal, U.K. and Roshnath, R. (2025). Nesting Ecology of White-bellied Sea-Eagles (<i>Haliaeetus leucogaster</i>) in Kerala, India. <i>The Journal of Raptor Research</i> 59. • Mo, M., <i>et al.</i> (2017). Predation by White-bellied Sea-Eagles '<i>Haliaeetus leucogaster</i>' on birds. <i>Victorian Naturalist</i> 134.
	Roderick, M. (2014). Observations of a Regent Honeyeater performing mimicry of a Little Wattlebird	• <i>The Whistler</i>, 1 article
	Drake-Brockman, P. (2014). Cattle Egret – a brief note on the fourth consecutive breeding event at Gloucester, NSW	• Esposito, M., <i>et al.</i> (2021). Decoupled Acoustic and Visual Components in the Multimodal Signals of the Common Cuckoo (<i>Cuculus canorus</i>). <i>Frontiers in Ecology</i> 9. • <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 9 (2015)	Newman, M. (2015). Varied Sittellas in the Hunter: distribution, habitat and threats	• Beranek, C. and Hayward, M. (2021). Review of reintroductions to Ngambaa Nature Reserve University of Newcastle. (Report prepared for the NSW National Parks & Wildlife Service) • <i>The Whistler</i>, 5 articles
	Tarburton, M. (2015). Swifts over the Hunter Region	• Tarburton, M. (2021). Recent increase in knowledge about numbers and flight behaviour in the White-throated Needletail 'Hirundapus caudacutus'. <i>Australian Field Ornithology</i> 38. • Jensen, A., <i>et al.</i> (2026). Fatal collision of a White-throated Needletail Hirundapus caudacutus with a high-voltage powerline in central Queensland. <i>Australian Field Ornithology</i> 43.
	Drake-Brockman, P. (2015). Bird surveys at Curracabundi National Park (2010-2013)	• <i>The Whistler</i>, 3 articles
	Carlson, A. (2015). Bird surveys of Cattai Wetlands (2006-2014) on the mid-north coast of New South Wales	• Mo, M., <i>et al.</i> (2024). Piscivory in the Comb-crested Jacana 'Irediparra gallinacea'. <i>Australian Field Ornithology</i> 41. • Mo, M. and Mo, E. (2024). Current knowledge of the poorly studied diet of the comb-crested jacana (Irediparra gallinacea). <i>Ornithology Research</i> 32. • Mo, M. (2018). A survey of waterbirds on the Elizabeth Macarthur Agricultural Institute. <i>Corella</i> 42. • <i>The Whistler</i>, 2 articles
	Stuart, A. (2015). Bird surveys in Saltwater National Park	• Stuart, A. and Newman, M. (2018). Spring bird communities of a high-altitude area of the Gloucester Tops, New South Wales. <i>Australian Field Ornithology</i> 35. • <i>The Whistler</i>, 3 articles
	Newman, M. (2015). Increased understorey causes demise of mixed species flocks at Green Wattle Creek	• <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 10 (2016)	Williams, D. and Stuart, A. (2016). Insights into Hunter Region birdlife using the BirdLife Australia Atlas project data	• <i>The Whistler</i>, 1 article
	Stuart, A. and Williams, D. (2016). Rose Robins in the Hunter Region	• Stuart, A and Newman, M. (2018). Spring bird communities of a high-altitude area of the Gloucester Tops, New South Wales. <i>Australian Field Ornithology</i> 35. • <i>The Whistler</i>, 3 articles
	Feletti, G. (2016). Birdlife at Belmont Lagoon: past and present	• <i>The Whistler</i>, 1 article
	Roderick, M. and Stuart, A. (2016). Threatened bird species in the Hunter Region: 2016 status review	• <i>The Whistler</i>, 9 articles
	Richardson, A. (2016). Selection of nocturnal roost sites by waders in the Hunter Estuary	• Shemmings-Payne, W. (2025). Diurnal and nocturnal habitat use and foraging behaviour of waders. PhD Thesis, Hull University, UK.
	Wooding, L. (2016). Roosting oystercatchers at Swan Bay, Port Stephens, NSW	• Jackson, M.V. (2020). Conserving shorebirds in human-dominated landscapes. PhD Thesis, School of Biological Sciences, University of Queensland • Jackson, M. (2020). Navigating coasts of concrete: Pervasive use of artificial habitats by shorebirds in the Asia-Pacific. <i>Biological Conservation</i> 247. • <i>The Whistler</i>, 2 articles
	Stuart, A. (2016). Raptors of estuarine Port Stephens	• <i>The Whistler</i>, 3 articles
	Alexander, P. (2016). Black Kite breeding – a first for the Hunter Region	• Debus, S. (2019). Birds of prey of Australia. A Field Guide, Third Edition. (CSIRO Publishing.)
	Richardson, A. (2016). Roosting waders attacked by Peregrine Falcons	• Debus, S. (2019). Birds of prey of Australia. A Field Guide, Third Edition. (CSIRO Publishing.) • Debus, S. (2022). Australian Falcons. Ecology, Behaviour and Conservation. (CSIRO Publishing.)

<i>The Whistler</i> Vol No	Article	Citations
Vol 11 (2017)	Wooding, L. (2017). Brahminy Kite nesting at Port Stephens, NSW: extension of southerly breeding range	• Debus, S. (2019). Birds of prey of Australia. A Field Guide, Third Edition. (CSIRO Publishing.) • Riddell, W. (2017). Aspects of breeding ecology and diet of the Brahminy Kite 'Haliastur indus' over two breeding seasons in Darwin, Northern Territory. <i>Australian Field Ornithology</i> 34. • <i>The Whistler</i>, 4 articles
	Kyte, R. (2017). Observations of Noisy Pitta nestlings through to fledging	• Noske, R.A. and Coates, B.J. (2018). Predation of Noisy Pitta nestling by the Subtropical Antechinus, a carnivorous marsupial. <i>Australian Field Ornithology</i> 35. • Lambert, F. (2025). Pittas, Broadbills and Asities, Second Edition. (Bloomsbury Publishing Plc.)
	Fraser, N. (2017). Observations of Little Tern nesting at Winda Woppa, Port Stephens, 2016-2017	• Kaber, B., <i>et al.</i> (2020). Breeding Behavior and Threats to Saunders's Tern (<i>Sternula saundersi</i>) at Sir Bani Yas Island, United Arab Emirates. <i>Waterbirds</i> 43. • <i>The Whistler</i>, 4 articles
	Powers, J. and Date-Huxtable, L. (2017). A record (2002-2009) of the birds of the Tank Paddock site within the Green Corridor, Lower Hunter Valley NSW	• <i>The Whistler</i>, 1 article
	Newman, M. (2017). Birds of Forest Road, Duns Creek 2008-2014	• Murphy, M. (2024). Roadside habitat connectivity for declining woodland birds in Australian farmland: A case study from the New South Wales South Western Slopes. <i>Australian Field Ornithology</i> 41. • <i>The Whistler</i>, 1 article
	Stuart, A., <i>et al.</i> (2017). Results from surveys for terrestrial birds on Broughton Island, 2012-2016	• Little, G., <i>et al.</i> (2020). Silvereye subspecies on Broughton Island, New South Wales. <i>Corella</i> 44. • Hunter, T., <i>et al.</i> (2021). Effects of <i>Opuntia stricta</i> on floristic composition and diversity within Broughton Island Nature Reserve, North Coast, New South Wales. <i>Pacific Conservation Biology</i> 27. • Lindsey, A. and Stuart, A. (2024). Status of gull and tern species in the Hunter Estuary. <i>Stilt</i> 77. • Garrard, M., <i>et al.</i> (2023). The Effects of Burrow Nesting Seabirds on Soils and Vegetation on Broughton Island, New South Wales. Research, University of New England. • Mitchell-Williams, J. (2022) Weed invasion within a naturally frequently disturbed near shore island in eastern Australia. <i>Journal of Coastal Conservation</i> 26. • <i>The Whistler</i>, 11 articles
	Feletti, G. (2017). Brush Bronzewing at Belmont, NSW: recent field notes	• <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 12 (2018)	Pryor, K. (2018). Fledging of Galahs nesting in a suburban environment near Newcastle, NSW	• <i>The Whistler</i>, 4 articles
	Newman, M. and Cunningham, R. (2018). Winners and losers – Changes in the bird population on removing cattle from woodland near Paterson NSW	• <i>The Whistler</i>, 4 articles
	Gosbell, K., <i>et al.</i> (2018). Geolocators track Ruddy Turnstone to Newcastle, NSW en route to King Island (Tasmania)	• <i>The Whistler</i>, 1 article
	Lermite, F. and Griffin, A. (2018). Do nest boxes facilitate breeding success in the Hunter Valley? Common Mynas versus native parrots	• <i>The Whistler</i>, 1 article
	Fraser, N. and Lindsey, A. (2018). Some observations of Australian Pied Oystercatcher on Worimi Conservation Lands	• Totterman, S. (2022). Coastal development and human recreation disturbance limit Australian Pied Oystercatcher <i>Haematopus longirostris</i> population sizes on E Australian beaches. <i>BioRxiv</i> • <i>The Whistler</i>, 5 articles
	Fraser, N. (2018). The birds of Mambo Wetlands Reserve, Port Stephens	• <i>The Whistler</i>, 2 articles
	Stuart, A. (2018). Does the Black-headed Pardalote <i>Pardalotus striatus melanocephalus</i> occur in the Hunter Region?	• <i>The Whistler</i>, 1 article
	Fraser, N. and Stuart, A. (2018). Some recent breeding observations of threatened shorebird species in Port Stephens	• <i>The Whistler</i>, 7 articles
	Maddock, M. and Newman, M. (2018). Latham's Snipe counts at Irrawang Swamp, NSW	• Garnett, S.T. and Baker, G. B. (2020). The Action Plan for Australian Birds. (CSIRO Publishing.) • Threatened Species Section (2026). Listing Statement for <i>Gallinago hardwickii</i> (Latham's snipe). (Department of Natural Resources and Environment, Tasmania.) • <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 13 (2019) part 1	Wooding, L. (2019). Brahminy Kites: two consecutive breeding seasons at Port Stephens NSW, compared	• Headland, T., <i>et al.</i> (2023). Smaller Australian raptors have greater urban tolerance. <i>Scientific Reports</i> 13. • <i>The Whistler</i>, 3 articles
	Fleming, S. (2019). A baseline study of the birds of Tahlee and surrounds (north-western Port Stephens, New South Wales)	• <i>The Whistler</i>, 1 article
	Stuart, A. (2019). Cattle Egret colony at Cundletown NSW	• <i>The Whistler</i>, 1 article
	Murray, T. (2019). Beach Stone-curlew at Soldiers Point, Port Stephens: breeding records and behavioural observations	• Garnett, S.T. and Baker, G. B. (2020). The Action Plan for Australian Birds. (CSIRO Publishing.) • Noske, R.A., <i>et al.</i> (2024). Incubation period, breeding success and juvenile development of Beach Stone-curlews on Kakadu beach, southeast Queensland. <i>The Sunbird</i> 51. • Mo, M. (2016). The Beach Stone-curlew (<i>Esacus magnirostris</i>) in the Sydney Basin and South East Corner Bioregions of New South Wales. <i>Proc. Linn. Soc. NSW</i> 138. • <i>The Whistler</i>, 3 articles
	Nicholls, G. (2019). Colonial nesting birds at the Hunter Wetlands Centre	• <i>The Whistler</i>, 1 article
	Lindsey, A. (2019). Movements of an immature Black-necked Stork taken into care and later released	• <i>The Whistler</i>, 3 articles
	Stuart, A. and Newman, M. (2109). Spring bird surveys in the Gloucester Tops	• <i>The Whistler</i>, 1 article
	Stuart, A. (2019). Occupancy at two Rufous Scrub-bird territories in the Gloucester Tops	• Garnett, S.T. and Baker, G. B. (2020). The Action Plan for Australian Birds. (CSIRO Publishing.) • Andren, M., <i>et al.</i> (2022). Territory occupancy by Southern Rufous Scrub-birds <i>Atrichornis rufescens ferrieri</i> in the New England region, New South Wales monitored over two decades. <i>Corella</i> 46. • <i>The Whistler</i>, 2 articles
	Lindsey, A. (2019). Observations of Black-necked Stork breeding in the Hunter Estuary at Tomago NSW	• <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 13 (2019) part 2	Crates, R. (2019). Mimicry in Regent Honeyeaters: is it really mimicry after all?	• Crates, R., <i>et al.</i> (2025). Conserving avian vocal culture. <i>Philosophical Transactions of the Royal Society of London, B, Biological Science</i> 380. • Tripovich, J.S., <i>et al.</i> (2021). Born to Be Wild: Evaluating the Zoo-Based Regent Honeyeater Breed for Release Program to Optimise Individual Success and Conservation Outcomes in the Wild. <i>Frontiers in Conservation Science</i> 2. • Tripovich, J.S. (2026). An adaptive management approach for the regent honeyeater zoo-based conservation breeding release program. <i>Wildlife Research</i> 53. • Ley, A. (2022). Breeding of the Regent Honeyeater in northern New South Wales in 1997. <i>Corella</i> 46. • Ronald, D.L. (2024). Adaptive Management of the Regent Honeyeater: Song Culture and Conservation. PhD Thesis, Australian National University
	Stuart, A. (2019). Recent high counts of Sharp-tailed Sandpiper in the Hunter Estuary.	• Glamore, W. (2021). Eco-hydrology as a driver for tidal restoration: Observations from a Ramsar wetland in eastern Australia. <i>Plos.One</i> 16. • Jackson, M.V. (2020). Conserving shorebirds in human-dominated landscapes. PhD Thesis, School of Biological Sciences, University of Queensland • <i>The Whistler</i>, 4 articles
	Reid, P. (2019). Changes in wetland use by shorebirds following mangrove removal, Area E, Ash Island, New South Wales	• Jackson, M.V. (2020). Conserving shorebirds in human-dominated landscapes. PhD Thesis, School of Biological Sciences, University of Queensland • Choi, C., <i>et al.</i> (2022). An emerging coastal wetland management dilemma between mangrove expansion and shorebird conservation. <i>Conservation Biology</i> 36. • Jackson, M.V., <i>et al.</i> (2021). Widespread use of artificial habitats by shorebirds in Australia. <i>Emu – Austral Ornithology</i> 121. • Coleman, D.J., <i>et al.</i> (2012). The geomorphic impact of mangrove encroachment in an Australian salt marsh. <i>Estuarine, Coastal and Shelf Science</i> 251. • <i>The Whistler</i>, 4 articles
	Newman, M. (2019). Why is the Pallid Cuckoo declining in the Hunter Region, but relatively stable in Tasmania?	• Kennerley, J. (2023). Avian brood parasitism as a model system for studying multispecies interactions. PhD thesis, Department of Zoology, University of Cambridge • <i>The Whistler</i>, 1 article
	Kyte, R. (2019). Foraging behaviour by Grey Fantail at the Sugarloaf State Conservation Area, NSW	• Moore, H.A., <i>et al.</i> (2023). Probable commensalism between the Grey Fantail and the Western Gerygone: a Western Australian observation. <i>Corella</i> 47.
	Wooding, L. (2019). A review of Sooty Oystercatcher on the Hunter Region coastline of New South Wales, Australia	• Vanderzon, E. and Colombelli-Négrel, D. (2025). Both human activities and environmental conditions influence foraging oystercatchers on urban beaches. <i>Emu – Austral Ornithology</i> 126. • <i>The Whistler</i>, 4 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 14 (2020)	Fawcett, A. and Fawcett, R. (2020). Juvenile Channel-billed Cuckoo: some behavioural observations	Redondo, T., <i>et al.</i> (2026). Host-Specific Vocal Similarity in Fledgling Levillant's Cuckoos and Babblers in West Africa. <i>Ecology and Evolution</i> 16.
	Turner, D. (2020). A breeding record for Topknot Pigeon in the Hunter Region	Ronson, P.A. (2020). The breeding biology of the Topknot Pigeon 'Lopholaimus antarcticus' in south-eastern Queensland. <i>Australian Field Ornithology</i> 37.
	Turner, D. (2020). Comparison of bird species recorded in surveys of Booti Booti National Park undertaken 27 years apart	<i>The Whistler</i>, 2 articles
	Fraser, N. (2020). Update on breeding activity by threatened shorebird species on Corrie Island, Port Stephens	<i>The Whistler</i>, 3 articles
	Stuart, A. (2020). Rufous Scrub-bird population trend in the Gloucester Tops: results from 2010-2019 monitoring program	- Garnett, S.T. and Baker, G. B. (2020). The Action Plan for Australian Birds. (CSIRO Publishing.) - Andren, M., <i>et al.</i> (2022). Territory occupancy by Southern Rufous Scrub-birds <i>Atrichornis rufescens ferrieri</i> in the New England region, New South Wales monitored over two decades. <i>Corella</i> 46. <i>The Whistler</i>, 4 articles
	Fraser, N. (2020). A review of Australian Painted-snipe records from the Hunter Region, 1966-2020	<i>The Whistler</i> , 2 articles
	Williams, D. (2020). Expansion in the range of the Spiny-checked Honeyeater in the Hunter Valley – an example of the use of time-variant distribution maps to study Hunter Region species	<i>The Whistler</i> , 2 articles
	Beranek, C. (2020). Nocturnal detection of Australian Little Bittern and Australian Painted-snipe – prospects for nocturnal survey methods for rare wetland birds	- Beranek, C.T., <i>et al.</i> (2022). Factors influencing persistence of a threatened amphibian in restored wetlands despite severe population decline during climate change driven weather. <i>Biodiversity and Conservation</i> 31. - Beranek, C.T., <i>et al.</i> (2021). Rapid population increase of the threatened Australian amphibian <i>Litoria aurea</i> in response to wetlands constructed as a refuge from chytrid-induced disease and introduced fish. <i>Environmental Management</i> 291. - Beranek, C.T., <i>et al.</i> (2022). Predator-free short-hydroperiod wetlands enhance metamorph output in a threatened amphibian: insights into frog breeding behaviour evolution and conservation management. <i>Wildlife Research</i> 49.
	Stuart, A. (2020). Port Stephens shorebird and waterbird surveys 2004-2020	- Williams, L., <i>et al.</i> (2024). Do invasive predators pose a predation risk to roosting shorebirds? Fecal DNA and camera trap analysis. <i>Wildlife Management</i> 89. <i>The Whistler</i>, 7 articles
	Lindsey, A. (2020). Breeding record of Black-necked Stork in Hexham Swamp near Newcastle, NSW	<i>The Whistler</i> , 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 15 (2021)	Fraser, N. (2021). Recent nesting records for Sooty Oystercatcher within the Broughton Island group	• <i>The Whistler</i>, 2 articles
	Lindsey, A. (2021). The birds of Tomago Wetland after reinstatement of tidal flushing	• Lindsey, A. and Stuart, A. (2024). Status of gull and tern species in the Hunter Estuary. <i>Stilt</i> 77. • Stuart, A. and Lindsey, A. (2021). Shorebird surveys in the Hunter Estuary of New South Wales 1999-2021. <i>Stilt</i> 76. • <i>The Whistler</i>, 6 articles
	Fraser, N. (2021). Broughton Island raptors	• Debus, S. (2022). Australian Falcons. Ecology, Behaviour and Conservation. (CSIRO Publishing.) • <i>The Whistler</i>, 2 articles
	Little, G. (2021). Bird surveys of Blue Gum Hills Regional Park 2012-2016	• <i>The Whistler</i>, 2 articles
	Stuart, A. (2021). Passerines on Broughton Island	• <i>The Whistler</i>, 2 articles
	Newman, M., <i>et al.</i> (2012). A twenty-year study of waterfowl Anatidae at Morpeth Wastewater Treatment Works near Maitland, NSW	• <i>The Whistler</i>, 1 article
	Kyte, R. and Little, G. (2021). Targeted surveys for Rufous Scrub-birds in the Hunter Region in 2020	• <i>The Whistler</i>, 1 article
	Lindsey, A. and Stuart, A. (2021). Hunter Estuary surveys: results for large waterbirds	• Williams, L., <i>et al.</i> (2024). Do invasive predators pose a predation risk to roosting shorebirds? Fecal DNA and camera trap analysis. <i>Wildlife Management</i> 89. • <i>The Whistler</i>, 2 articles

<i>The Whistler</i> Vol No	Article	Citations
Vol 16 (2022)	Kyte, R. and Stuart, A. (2022). Rufous Scrub-bird studies: an assessment of the feasibility of capturing, colour-banding and resighting scrub-birds	• <i>The Whistler</i>, 1 article
	Stuart, A. and Lindsey, A. (2022). Hunter Estuary surveys: results for waterfowl, grebes, crakes, rails and gallinules	• Williams, L., <i>et al.</i> (2024). Do invasive predators pose a predation risk to roosting shorebirds? Fecal DNA and camera trap analysis. <i>Wildlife Management</i> 89. • <i>The Whistler</i>, 1 article
	Fraser, N. (2022). Some observations of the foraging behaviour of the Australian Painted-snipe and the Greater Painted-snipe	• Amar-Singh H.S.S. and Shao, S.T. (2026). Prey in the Diet of the Greater Painted-Snipe. Malaysian Bird Report.
	Lindsey, A. and Fraser, N. (2022). The status of the Double-banded Plover in the Hunter Region, New South Wales	• Bashar, J., <i>et al.</i> (2026). A rapid shift in migration schedule of an Austral shorebird is linked to a changing southern climate oscillation. <i>Ibis</i>
	Little, G. and Stuart, A. (2022). Banding studies on Broughton Island: overview of 2017-2022 results	• <i>The Whistler</i>, 2 articles
Vol 17 (2023)	Kendall, T. (2023). Changes in avian species diversity following revegetation and an emphasis on sustainability at an East Seaham cattle-breeding property (2004-2018)	• Mo, M. (2026). Agonistic behaviour of the Red Wattlebird <i>Anthochaera carunculata</i> towards an elapid snake. <i>Australian Field Ornithology</i> 43. • <i>The Whistler</i>, 2 articles
	Stuart, A. (2023). Noisy Miner and other species taking processed sugar packets	• Sazima, M. and Sazima, I. (2026). Bird pollinators of the Fringed Wattle 'Acacia fimbriata'. <i>Field Naturalists Club of Victoria</i> 143.
	Stuart, A. and Clarke, T. (2023). The first confirmed modern record for Pycroft's Petrel in Australia	• Gorta, S., <i>et al.</i> (2026). Environmental drivers of gadfly petrel vagrancy in the Southwest Pacific. <i>Ibis</i> 168. • Gorta, S. and Allen, P. (2026). Resolving the 'Identification Gap' to Uncover Sympatric Seabird Distributions. <i>Diversity and Distributions</i> 32. • <i>The Whistler</i>, 2 articles
	Newman, M. (2023). Raptors at Woodville – insights into the difficulties of assessing raptor populations	• <i>The Whistler</i>, 1 article
	Little, J., <i>et al.</i> (2023). Site fidelity of the Far Eastern Curlew in the Port Stephens estuary	• <i>The Whistler</i>, 1 article

<i>The Whistler</i> Vol No	Article	Citations
Vol 18 (2024)	Stuart, A., <i>et al.</i> (2024). Ground-based crepuscular hunting by the Peregrine Falcon: records of birds taking adult Wedge-tailed Shearwaters	• Sarlin, P., <i>et al.</i> (2026). The late supper: a report on nocturnal scavenging behavior by Brahminy Kites (<i>Haliastur indus</i>) using artificial light. <i>Journal of Ornithology</i> 167: 1113–1119. • Edward. J.A. (2026). Night-time nestling provisioning in urban peregrine falcons. <i>Royal Society Open Science</i> 13. • <i>The Whistler</i>, 1 article
	Fraser, N., <i>et al.</i> (2024). Estuarine habitat change and its impact on shorebirds at Swan Bay, Port Stephens, NSW	• <i>The Whistler</i>, 1 article
	Stuart, A. (2024). Why has the Whistling Kite population in Port Stephens plummeted?	• <i>The Whistler</i>, 4 articles
Vol 19 (2025)	Griffin, A., <i>et al.</i> (2025). Using motus automated telemetry to quantify habitat use and movement in a Far Eastern Curlew within the Hunter Estuary, NSW, Australia.	Cousineau, A.M. (2025). Winter survival and urban green space use of the northern cardinal (<i>Cardinalis cardinalis</i>). MSc Thesis, McGill University, Canada
	Stuart, A. (2025). Broughton Island: common birds and seasonal visitors	Stuart, A. and Callaghan, S. (2026). Birds on Broughton Island: changes following the removal of Black Rats and European Rabbits. <i>Corella</i> 50 : 20-25.

To locate a citation:

- Open Google Search
- Search for ‘Google Scholar’
- Select ‘Articles’
- Search using the full title of the article

If the article has been cited, a list of publications will be presented. If the article has not been cited, a list of closely related articles will be presented.