

**APPENDIX** to Comparison of bird species recorded in two surveys of Booti Booti National Park undertaken 27 years apart by David Turner *The Whistler* 14 (2020): 7-21.

Avifaunal list for Booti Booti National Park: List of birds and Reporting Rates from monthly surveys between June 1985 and May 1988 (Survey 1) and September 2012 and August 2015 (Survey 2). Reporting Rate is the ratio of the number of surveys with records of the species and the total number of surveys, expressed as a percentage. Supplementary observations are also indicated (as species without a reporting rate). Species recorded breeding are shown in **bold**. Seasonal reporting rates are shown as percentages for summer (Sum), autumn (Aut), winter (Win) and spring (Spr).

|                             | Season                              | Survey 1 |      |      |      |       |       | Survey 2 |      |       |      |      |       |
|-----------------------------|-------------------------------------|----------|------|------|------|-------|-------|----------|------|-------|------|------|-------|
|                             |                                     | Total    |      | Sum  | Aut  | Win   | Spr   | Total    |      | Sum   | Aut  | Win  | Spr   |
|                             |                                     | No.      | %    | %    | %    | %     | %     | No.      | %    | %     | %    | %    | %     |
| <b>Common Name</b>          | <b>Scientific Name</b>              | No.      | %    | %    | %    | %     | %     | No.      | %    | %     | %    | %    | %     |
| <b>Black Swan</b>           | <b><i>Cygnus atratus</i></b>        | 24       | 66.7 | 88.9 | 33.3 | 66.7  | 77.8  | 25       | 71.4 | 100.0 | 33.3 | 55.6 | 100.0 |
| Australian Shelduck         | <i>Tadorna tadornoides</i>          | 1        | 2.8  | 0.0  | 0.0  | 0.0   | 11.1  | 1        | 2.9  | 11.1  | 0.0  | 0.0  | 0.0   |
| <b>Pacific Black Duck</b>   | <b><i>Anas superciliosa</i></b>     | 27       | 75.0 | 55.6 | 66.7 | 100.0 | 77.8  | 13       | 37.1 | 44.4  | 44.4 | 11.1 | 50.0  |
| Grey Teal                   | <i>Anas gracilis</i>                | 4        | 11.1 | 11.1 | 0.0  | 11.1  | 22.2  | 11       | 31.4 | 44.4  | 33.3 | 11.1 | 37.5  |
| Chestnut Teal               | <i>Anas castanea</i>                | 33       | 91.7 | 88.9 | 88.9 | 88.9  | 100.0 | 21       | 60.0 | 77.8  | 66.7 | 44.4 | 50.0  |
| <b>Australian Wood Duck</b> | <b><i>Chenonetta jubata</i></b>     | 21       | 58.3 | 22.2 | 44.4 | 77.8  | 88.9  | 14       | 40.0 | 55.6  | 33.3 | 44.4 | 25.0  |
| Australian Brush-turkey     | <i>Alectura lathami</i>             |          |      |      |      |       |       | 11       | 31.4 | 22.2  | 44.4 | 44.4 | 12.5  |
| Stubble Quail               | <i>Coturnix pectoralis</i>          | 1        | 2.8  | 0.0  | 11.1 | 0.0   | 0.0   |          |      |       |      |      |       |
| <b>Brown Quail</b>          | <b><i>Synoicus ypsilophorus</i></b> | 18       | 50.0 | 66.7 | 66.7 | 55.6  | 11.1  |          |      |       |      |      |       |
| Australasian Grebe          | <i>Tachybaptus novaehollandiae</i>  | 3        | 8.3  | 0.0  | 0.0  | 22.2  | 11.1  |          |      |       |      |      |       |
| Rock Dove                   | <i>Columba livia</i>                | 6        | 16.7 | 11.1 | 11.1 | 22.2  | 22.2  | 1        | 2.9  | 0.0   | 11.1 | 0.0  | 0.0   |
| White-headed Pigeon         | <i>Columba leucomela</i>            | 8        | 22.2 | 11.1 | 22.2 | 11.1  | 44.4  | 16       | 45.7 | 66.7  | 22.2 | 55.6 | 37.5  |
| Spotted Dove                | <i>Streptopelia chinensis</i>       | 18       | 50.0 | 55.6 | 55.6 | 44.4  | 44.4  | 22       | 62.9 | 55.6  | 55.6 | 66.7 | 75.0  |
| Brown Cuckoo-Dove           | <i>Macropygia phasianella</i>       | 5        | 13.9 | 33.3 | 0.0  | 0.0   | 22.2  | 16       | 45.7 | 44.4  | 44.4 | 33.3 | 62.5  |
| Wonga Pigeon                | <i>Leucosarcia melanoleuca</i>      | 8        | 22.2 | 0.0  | 0.0  | 0.0   | 88.9  | 16       | 45.7 | 44.4  | 33.3 | 55.6 | 50.0  |
| Brush Bronzewing            | <i>Phaps elegans</i>                | 8        | 22.2 | 22.2 | 22.2 | 22.2  | 22.2  | 12       | 34.3 | 55.6  | 0.0  | 22.2 | 62.5  |
| Crested Pigeon              | <i>Ocyphaps lophotes</i>            | 22       | 61.1 | 66.7 | 66.7 | 66.7  | 44.4  | 28       | 80.0 | 88.9  | 66.7 | 77.8 | 87.5  |

**Appendix** continued

|   | Season                                  | Survey 1          |       |       |       |       |       | Survey 2 |      |       |      |       |       |
|---|---|-------------------|-------|-------|-------|-------|-------|----------|------|-------|------|-------|-------|
|   |   | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |      | Sum   | Aut  | Win   | Spr   |
|   |   | Number of surveys |       |       |       |       |       |          |      |       |      |       |       |
| Peaceful Dove                                     | <i>Geopelia placida</i>                 | 2                 | 5.6   | 11.1  | 11.1  | 0.0   | 0.0   |          |      |       |      |       |       |
| Bar-shouldered Dove                               | <i>Geopelia humeralis</i>               | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 33       | 94.3 | 100.0 | 77.8 | 100.0 | 100.0 |
| Brown-capped Emerald-Dove                         | <i>Chalcophaps longirostris</i>         | 3                 | 8.3   | 0.0   | 0.0   | 22.2  | 11.1  | 5        | 14.3 | 33.3  | 0.0  | 11.1  | 12.5  |
| Wompoo Fruit-Dove <sup>V</sup>                    | <i>Ptilinopus magnificus</i>            | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  | 1        | 2.9  | 0.0   | 0.0  | 11.1  | 0.0   |
| Rose-crowned Fruit-Dove <sup>V</sup>              | <i>Ptilinopus regina</i>                |                   |       |       |       |       |       |          |      |       |      |       |       |
| <b>Topknot Pigeon</b>                             | <b><i>Lopholaimus antarcticus</i></b>   | 12                | 33.3  | 0.0   | 11.1  | 44.4  | 77.8  | 10       | 28.6 | 11.1  | 0.0  | 55.6  | 50.0  |
| Pheasant Coucal                                   | <i>Centropus phasianinus</i>            | 22                | 61.1  | 88.9  | 33.3  | 22.2  | 100.0 | 2        | 5.7  | 22.2  | 0.0  | 0.0   | 0.0   |
| <b>Eastern Koel</b>                               | <b><i>Eudynamys orientalis</i></b>      | 16                | 44.4  | 100.0 | 11.1  | 0.0   | 66.7  | 12       | 34.3 | 77.8  | 0.0  | 0.0   | 62.5  |
| <b>Channel-billed Cuckoo</b>                      | <b><i>Scythrops novaehollandiae</i></b> | 17                | 47.2  | 88.9  | 0.0   | 0.0   | 100.0 | 9        | 25.7 | 44.4  | 0.0  | 0.0   | 62.5  |
| Horsfield's Bronze-Cuckoo                         | <i>Chalcites basalus</i>                | 3                 | 8.3   | 11.1  | 0.0   | 0.0   | 22.2  | 1        | 2.9  | 0.0   | 0.0  | 0.0   | 12.5  |
| Black-eared Cuckoo                                | <i>Chalcites osculans</i>               |                   |       |       |       |       |       | 1        | 2.9  | 11.1  | 0.0  | 0.0   | 0.0   |
| Shining Bronze-Cuckoo                             | <i>Chalcites lucidus</i>                | 14                | 38.9  | 22.2  | 11.1  | 33.3  | 88.9  | 11       | 31.4 | 11.1  | 11.1 | 33.3  | 75.0  |
| Fan-tailed Cuckoo                                 | <i>Cacomantis flabelliformis</i>        | 27                | 75.0  | 44.4  | 77.8  | 88.9  | 88.9  | 21       | 60.0 | 11.1  | 77.8 | 77.8  | 75.0  |
| Brush Cuckoo                                      | <i>Cacomantis variolosus</i>            | 3                 | 8.3   | 11.1  | 0.0   | 0.0   | 22.2  | 7        | 20.0 | 22.2  | 0.0  | 0.0   | 62.5  |
| Pallid Cuckoo                                     | <i>Heteroscenes pallidus</i>            | 5                 | 13.9  | 0.0   | 11.1  | 0.0   | 44.4  |          |      |       |      |       |       |
| <b>Tawny Frogmouth</b>                            | <b><i>Podargus strigoides</i></b>       | 8                 | 22.2  | 33.3  | 22.2  | 0.0   | 33.3  | 6        | 17.1 | 33.3  | 0.0  | 0.0   | 37.5  |
| White-throated Needletail                         | <i>Hirundapus caudacutus</i>            | 11                | 30.6  | 88.9  | 22.2  | 0.0   | 11.1  | 7        | 20.0 | 55.6  | 22.2 | 0.0   | 0.0   |
| Buff-banded Rail                                  | <i>Hypotaenidia philippensis</i>        | 2                 | 5.6   | 0.0   | 0.0   | 0.0   | 22.2  |          |      |       |      |       |       |
| <b>Purple Swamphen</b>                            | <b><i>Porphyrio porphyrio</i></b>       | 2                 | 5.6   | 11.1  | 0.0   | 0.0   | 11.1  | 8        | 22.9 | 22.2  | 11.1 | 44.4  | 12.5  |
| Dusky Moorhen                                     | <i>Gallinula tenebrosa</i>              |                   |       |       |       |       |       | 1        | 2.9  | 0.0   | 0.0  | 11.1  | 0.0   |
| <b>Australian Pied Oystercatcher <sup>E</sup></b> | <b><i>Haematopus longirostris</i></b>   | 12                | 33.3  | 11.1  | 33.3  | 44.4  | 44.4  | 18       | 51.4 | 33.3  | 44.4 | 88.9  | 37.5  |
| Sooty Oystercatcher <sup>V</sup>                  | <i>Haematopus fuliginosus</i>           |                   |       |       |       |       |       | 7        | 20.0 | 22.2  | 22.2 | 33.3  | 0.0   |
| Pied Stilt  | <i>Himantopus leucocephalus</i>         | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  | 18       | 51.4 | 33.3  | 44.4 | 55.6  | 75.0  |

**Appendix** continued

|                               | Season                                 | Survey 1          |       |       |       |       |       | Survey 2 |       |       |       |       |       |
|-------------------------------|--|-------------------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
|                               |  | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |       | Sum   | Aut   | Win   | Spr   |
|                               |  | Number of surveys |       |       |       |       |       |          |       |       |       |       |       |
| Pacific Golden Plover         | <i>Pluvialis fulva</i>                 | 7                 | 19.4  | 33.3  | 33.3  | 0.0   | 11.1  | 13       | 37.1  | 66.7  | 11.1  | 0.0   | 75.0  |
| Red-capped Plover             | <i>Charadrius ruficapillus</i>         | 2                 | 5.6   | 0.0   | 0.0   | 11.1  | 11.1  |          |       |       |       |       |       |
| Double-banded Plover          | <i>Charadrius bicinctus</i>            | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   | 1        | 2.9   | 0.0   | 11.1  | 0.0   | 0.0   |
| Black-fronted Dotterel        | <i>Euseyornis melanops</i>             | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   | 1        | 2.9   | 0.0   | 0.0   | 11.1  | 0.0   |
| <b>Masked Lapwing</b>         | <b><i>Vanellus miles</i></b>           | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Red-kneed Dotterel            | <i>Erythrogonys cinctus</i>            |                   |       |       |       |       |       | 3        | 8.6   | 11.1  | 11.1  | 0.0   | 12.5  |
| Whimbrel                      | <i>Numenius phaeopus</i>               |                   |       |       |       |       |       | 1        | 2.9   | 0.0   | 0.0   | 0.0   | 12.5  |
| Eastern Curlew                | <i>Numenius madagascariensis</i>       | 3                 | 8.3   | 11.1  | 0.0   | 0.0   | 22.2  |          |       |       |       |       |       |
| Bar-tailed Godwit             | <i>Limosa lapponica</i>                | 9                 | 25.0  | 55.6  | 0.0   | 0.0   | 44.4  | 5        | 14.3  | 11.1  | 0.0   | 0.0   | 50.0  |
| Ruddy Turnstone               | <i>Arenaria interpres</i>              | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  | 2        | 5.7   | 0.0   | 0.0   | 0.0   | 25.0  |
| Red Knot                      | <i>Calidris canutus</i>                | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  | 1        | 2.9   | 0.0   | 0.0   | 0.0   | 12.5  |
| Sharp-tailed Sandpiper        | <i>Calidris acuminata</i>              | 7                 | 19.4  | 33.3  | 22.2  | 0.0   | 22.2  | 15       | 42.9  | 66.7  | 22.2  | 11.1  | 75.0  |
| Curlew Sandpiper <sup>E</sup> | <i>Calidris ferruginea</i>             | 4                 | 11.1  | 11.1  | 0.0   | 0.0   | 33.3  |          |       |       |       |       |       |
| Red-necked Stint              | <i>Calidris ruficollis</i>             | 4                 | 11.1  | 22.2  | 0.0   | 0.0   | 22.2  | 3        | 8.6   | 11.1  | 0.0   | 0.0   | 25.0  |
| Latham's Snipe                | <i>Gallinago hardwickii</i>            | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  | 2        | 5.7   | 11.1  | 0.0   | 0.0   | 12.5  |
| Grey-tailed Tattler           | <i>Tringa brevipes</i>                 | 4                 | 11.1  | 22.2  | 0.0   | 0.0   | 22.2  |          |       |       |       |       |       |
| Common Greenshank             | <i>Tringa nebularia</i>                | 3                 | 8.3   | 11.1  | 0.0   | 0.0   | 22.2  |          |       |       |       |       |       |
| Painted Button-quail          | <i>Turnix varius</i>                   |                   |       |       |       |       |       |          |       |       |       |       |       |
| Common Noddy                  | <i>Anous stolidus</i>                  |                   |       |       |       |       |       | 1        | 2.9   | 11.1  | 0.0   | 0.0   | 0.0   |
| Silver Gull                   | <i>Chroicocephalus novaehollandiae</i> | 34                | 94.4  | 100.0 | 88.9  | 100.0 | 88.9  | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Sooty Tern                    | <i>Onychoprion fuscatus</i>            |                   |       |       |       |       |       | 1        | 2.9   | 11.1  | 0.0   | 0.0   | 0.0   |
| Little Tern <sup>E</sup>      | <i>Sternula albifrons</i>              | 2                 | 5.6   | 11.1  | 0.0   | 0.0   | 11.1  |          |       |       |       |       |       |
| Australian Gull-billed Tern   | <i>Gelochelidon macrotarsa</i>         | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   |          |       |       |       |       |       |

**Appendix** continued

|                                     | Season                                 | Survey 1          |       |       |       |       |       | Survey 2 |       |       |       |       |       |
|-------------------------------------|--|-------------------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
|                                     |  | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |       | Sum   | Aut   | Win   | Spr   |
|                                     |  | Number of surveys |       |       |       |       |       |          |       |       |       |       |       |
| Caspian Tern                        | <i>Hydroprogne caspia</i>              | 3                 | 8.3   | 11.1  | 0.0   | 11.1  | 11.1  | 9        | 25.7  | 0.0   | 22.2  | 33.3  | 50.0  |
| Whiskered Tern                      | <i>Chlidonias hybrida</i>              | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  |          |       |       |       |       |       |
| Common Tern                         | <i>Sterna hirundo</i>                  | 1                 | 2.8   | 11.1  | 0.0   | 0.0   | 0.0   | 1        | 2.9   | 0.0   | 0.0   | 11.1  | 0.0   |
| Crested Tern                        | <i>Thalasseus bergii</i>               | 29                | 80.6  | 88.9  | 66.7  | 77.8  | 88.9  | 26       | 74.3  | 100.0 | 77.8  | 66.7  | 50.0  |
| Little Penguin                      | <i>Eudyptula minor</i>                 | 1                 | 2.8   | 11.1  | 0.0   | 0.0   | 0.0   |          |       |       |       |       |       |
| Black-browed Albatross <sup>V</sup> | <i>Thalassarche melanophris</i>        | 2                 | 5.6   | 0.0   | 0.0   | 22.2  | 0.0   |          |       |       |       |       |       |
| Fairy Prion                         | <i>Pachyptila turtur</i>               |                   |       |       |       |       |       | 1        | 2.9   | 0.0   | 0.0   | 11.1  | 0.0   |
| Gould's Petrel <sup>V</sup>         | <i>Pterodroma leucoptera</i>           | 1                 | 2.8   | 0.0   | 11.1  | 0.0   | 0.0   |          |       |       |       |       |       |
| Wedge-tailed Shearwater             | <i>Ardenna pacifica</i>                | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  |          |       |       |       |       |       |
| Short-tailed Shearwater             | <i>Ardenna tenuirostris</i>            | 6                 | 16.7  | 22.2  | 11.1  | 0.0   | 33.3  | 6        | 17.1  | 33.3  | 0.0   | 0.0   | 37.5  |
| Fluttering Shearwater               | <i>Puffinus gavia</i>                  | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   | 1        | 2.9   | 11.1  | 0.0   | 0.0   | 0.0   |
| Black-necked Stork <sup>E</sup>     | <i>Ephippiorhynchus asiaticus</i>      | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  |          |       |       |       |       |       |
| <b>Australian Pelican</b>           | <b><i>Pelecanus conspicillatus</i></b> | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Nankeen Night-Heron                 | <i>Nycticorax caledonicus</i>          |                   |       |       |       |       |       | 1        | 2.9   | 0.0   | 11.1  | 0.0   | 0.0   |
| Striated Heron                      | <i>Butorides striata</i>               | 3                 | 8.3   | 22.2  | 11.1  | 0.0   | 0.0   | 5        | 14.3  | 22.2  | 11.1  | 11.1  | 12.5  |
| Cattle Egret                        | <i>Bubulcus ibis</i>                   | 2                 | 5.6   | 0.0   | 0.0   | 11.1  | 11.1  | 3        | 8.6   | 0.0   | 0.0   | 22.2  | 12.5  |
| White-necked Heron                  | <i>Ardea pacifica</i>                  | 4                 | 11.1  | 11.1  | 0.0   | 22.2  | 11.1  | 5        | 14.3  | 0.0   | 11.1  | 33.3  | 12.5  |
| Great Egret                         | <i>Ardea alba</i>                      | 18                | 50.0  | 11.1  | 44.4  | 77.8  | 66.7  | 22       | 62.9  | 55.6  | 55.6  | 55.6  | 87.5  |
| <b>White-faced Heron</b>            | <b><i>Egretta novaehollandiae</i></b>  | 34                | 94.4  | 100.0 | 88.9  | 88.9  | 100.0 | 32       | 91.4  | 100.0 | 88.9  | 77.8  | 100.0 |
| Little Egret                        | <i>Egretta garzetta</i>                | 12                | 33.3  | 0.0   | 55.6  | 55.6  | 22.2  | 15       | 42.9  | 33.3  | 55.6  | 22.2  | 62.5  |
| Eastern Reef Egret                  | <i>Egretta sacra</i>                   | 5                 | 13.9  | 0.0   | 33.3  | 11.1  | 11.1  | 2        | 5.7   | 0.0   | 0.0   | 11.1  | 12.5  |
| Australian White Ibis               | <i>Threskiornis moluccus</i>           | 15                | 41.7  | 22.2  | 33.3  | 77.8  | 33.3  | 13       | 37.1  | 33.3  | 44.4  | 44.4  | 25.0  |
| Straw-necked Ibis                   | <i>Threskiornis spinicollis</i>        | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   | 3        | 8.6   | 0.0   | 11.1  | 22.2  | 0.0   |

**Appendix** continued

|  | Season                               | Survey 1          |       |       |       |       |       | Survey 2 |      |       |      |       |       |
|--|--------------------------------------|-------------------|-------|-------|-------|-------|-------|----------|------|-------|------|-------|-------|
|  |                                      | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |      | Sum   | Aut  | Win   | Spr   |
|  |                                      | Number of surveys |       |       |       |       |       |          |      |       |      |       |       |
| Australasian Gannet                        | <i>Morus serrator</i>                | 26                | 72.2  | 33.3  | 77.8  | 88.9  | 88.9  | 19       | 54.3 | 33.3  | 55.6 | 88.9  | 37.5  |
| Little Pied Cormorant                      | <i>Microcarbo melanoleucos</i>       | 27                | 75.0  | 55.6  | 88.9  | 77.8  | 77.8  | 26       | 74.3 | 88.9  | 88.9 | 55.6  | 62.5  |
| Great Cormorant                            | <i>Phalacrocorax carbo</i>           | 25                | 69.4  | 88.9  | 55.6  | 66.7  | 66.7  | 17       | 48.6 | 44.4  | 44.4 | 55.6  | 50.0  |
| Little Black Cormorant                     | <i>Phalacrocorax sulcirostris</i>    | 7                 | 19.4  | 0.0   | 22.2  | 33.3  | 22.2  | 14       | 40.0 | 44.4  | 55.6 | 22.2  | 37.5  |
| Pied Cormorant                             | <i>Phalacrocorax varius</i>          | 17                | 47.2  | 66.7  | 44.4  | 33.3  | 44.4  | 31       | 88.6 | 88.9  | 77.8 | 88.9  | 100.0 |
| Australasian Darter                        | <i>Anhinga novaehollandiae</i>       |                   |       |       |       |       |       | 7        | 20.0 | 22.2  | 33.3 | 0.0   | 25.0  |
| <b>Osprey<sup>v</sup></b>                  | <b><i>Pandion haliaetus</i></b>      | 4                 | 11.1  | 22.2  | 22.2  | 0.0   | 0.0   | 27       | 77.1 | 55.6  | 88.9 | 88.9  | 75.0  |
| Black-shouldered Kite                      | <i>Elanus axillaris</i>              | 25                | 69.4  | 66.7  | 66.7  | 66.7  | 77.8  | 8        | 22.9 | 22.2  | 22.2 | 33.3  | 12.5  |
| Pacific Baza                               | <i>Aviceda subcristata</i>           |                   |       |       |       |       |       |          |      |       |      |       |       |
| Little Eagle <sup>v</sup>                  | <i>Hieraaetus morphnoides</i>        | 2                 | 5.6   | 0.0   | 0.0   | 22.2  | 0.0   |          |      |       |      |       |       |
| Swamp Harrier                              | <i>Circus approximans</i>            | 11                | 30.6  | 44.4  | 33.3  | 11.1  | 33.3  | 11       | 31.4 | 55.6  | 0.0  | 22.2  | 50.0  |
| Grey Goshawk                               | <i>Accipiter novaehollandiae</i>     |                   |       |       |       |       |       |          |      |       |      |       |       |
| Brown Goshawk                              | <i>Accipiter fasciatus</i>           | 2                 | 5.6   | 0.0   | 11.1  | 11.1  | 0.0   | 1        | 2.9  | 0.0   | 11.1 | 0.0   | 0.0   |
| Collared Sparrowhawk                       | <i>Accipiter cirrocephalus</i>       | 1                 | 2.8   | 0.0   | 11.1  | 0.0   | 0.0   | 1        | 2.9  | 0.0   | 11.1 | 0.0   | 0.0   |
| <b>White-bellied Sea-Eagle<sup>v</sup></b> | <b><i>Haliaeetus leucogaster</i></b> | 34                | 94.4  | 88.9  | 100.0 | 88.9  | 100.0 | 33       | 94.3 | 100.0 | 77.8 | 100.0 | 100.0 |
| <b>Whistling Kite</b>                      | <b><i>Haliastur sphenurus</i></b>    | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 31       | 88.6 | 77.8  | 88.9 | 100.0 | 87.5  |
| Brahminy Kite                              | <i>Haliastur indus</i>               | 2                 | 5.6   | 0.0   | 22.2  | 0.0   | 0.0   | 23       | 65.7 | 88.9  | 44.4 | 66.7  | 62.5  |
| <b>Masked Owl<sup>v</sup></b>              | <b><i>Tyto novaehollandiae</i></b>   |                   |       |       |       |       |       |          |      |       |      |       |       |
| Barn Owl                                   | <i>Tyto alba</i>                     | 4                 | 11.1  | 0.0   | 0.0   | 22.2  | 22.2  |          |      |       |      |       |       |
| Southern Boobook                           | <i>Ninox boobook</i>                 | 11                | 30.6  | 33.3  | 55.6  | 11.1  | 22.2  | 3        | 8.6  | 0.0   | 11.1 | 22.2  | 0.0   |
| <b>Rainbow Bee-eater</b>                   | <b><i>Merops ornatus</i></b>         | 5                 | 13.9  | 55.6  | 0.0   | 0.0   | 0.0   | 7        | 20.0 | 44.4  | 11.1 | 0.0   | 25.0  |
| <b>Dollarbird</b>                          | <b><i>Eurystomus orientalis</i></b>  | 20                | 55.6  | 100.0 | 44.4  | 0.0   | 77.8  | 16       | 45.7 | 100.0 | 0.0  | 0.0   | 87.5  |
| <b>Azure Kingfisher</b>                    | <b><i>Ceyx azureus</i></b>           | 8                 | 22.2  | 0.0   | 44.4  | 44.4  | 0.0   | 1        | 2.9  | 11.1  | 0.0  | 0.0   | 0.0   |

**Appendix** continued

|                                     | Season                               | Survey 1          |       |       |       |       |       | Survey 2 |      |       |       |       |       |
|-------------------------------------|--------------------------------------|-------------------|-------|-------|-------|-------|-------|----------|------|-------|-------|-------|-------|
|                                     |                                      | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |      | Sum   | Aut   | Win   | Spr   |
|                                     |                                      | Number of surveys |       |       |       |       |       |          |      |       |       |       |       |
| <b>Sacred Kingfisher</b>            | <i>Todiramphus sanctus</i>           | 20                | 55.6  | 100.0 | 22.2  | 11.1  | 88.9  | 20       | 57.1 | 77.8  | 22.2  | 33.3  | 100.0 |
| <b>Laughing Kookaburra</b>          | <i>Dacelo novaeguineae</i>           | 34                | 94.4  | 88.9  | 88.9  | 100.0 | 100.0 | 34       | 97.1 | 100.0 | 88.9  | 100.0 | 100.0 |
| Nankeen Kestrel                     | <i>Falco cenchroides</i>             | 14                | 38.9  | 11.1  | 44.4  | 55.6  | 44.4  |          |      |       |       |       |       |
| Australian Hobby                    | <i>Falco longipennis</i>             | 2                 | 5.6   | 11.1  | 0.0   | 11.1  | 0.0   | 6        | 17.1 | 11.1  | 11.1  | 22.2  | 25.0  |
| Brown Falcon                        | <i>Falco berigora</i>                | 10                | 27.8  | 22.2  | 11.1  | 33.3  | 44.4  |          |      |       |       |       |       |
| Peregrine Falcon                    | <i>Falco peregrinus</i>              |                   |       |       |       |       |       | 1        | 2.9  | 11.1  | 0.0   | 0.0   | 0.0   |
| Glossy Black-Cockatoo               | <i>Calyptorhynchus lathami</i>       | 2                 | 5.6   | 22.2  | 0.0   | 0.0   | 0.0   | 3        | 8.6  | 11.1  | 22.2  | 0.0   | 0.0   |
| <b>Yellow-tailed Black-Cockatoo</b> | <i>Zanda funereus</i>                | 31                | 86.1  | 100.0 | 100.0 | 100.0 | 44.4  | 31       | 88.6 | 77.8  | 100.0 | 88.9  | 87.5  |
| Galah                               | <i>Eolophus roseicapilla</i>         | 21                | 58.3  | 22.2  | 44.4  | 77.8  | 88.9  | 27       | 77.1 | 77.8  | 44.4  | 100.0 | 87.5  |
| <b>Little Corella</b>               | <i>Cacatua sanguinea</i>             |                   |       |       |       |       |       | 22       | 62.9 | 88.9  | 44.4  | 66.7  | 50.0  |
| Australian King-Parrot              | <i>Alisterus scapularis</i>          | 26                | 72.2  | 88.9  | 88.9  | 33.3  | 77.8  | 10       | 28.6 | 22.2  | 44.4  | 22.2  | 25.0  |
| Red-rumped Parrot                   | <i>Psephotus haematonotus</i>        | 1                 | 2.8   | 0.0   | 0.0   | 0.0   | 11.1  |          |      |       |       |       |       |
| Crimson Rosella                     | <i>Platycercus elegans</i>           | 1                 | 2.8   | 0.0   | 0.0   | 11.1  | 0.0   |          |      |       |       |       |       |
| Eastern Rosella                     | <i>Platycercus eximius</i>           | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 19       | 54.3 | 66.7  | 55.6  | 44.4  | 50.0  |
| Musk Lorikeet                       | <i>Glossopsitta concinna</i>         | 1                 | 2.8   | 0.0   | 11.1  | 0.0   | 0.0   | 5        | 14.3 | 22.2  | 22.2  | 0.0   | 12.5  |
| Little Lorikeet <sup>v</sup>        | <i>Glossopsitta pusilla</i>          | 6                 | 16.7  | 22.2  | 33.3  | 11.1  | 0.0   | 5        | 14.3 | 11.1  | 11.1  | 11.1  | 25.0  |
| Rainbow Lorikeet                    | <i>Trichoglossus moluccanus</i>      | 5                 | 13.9  | 11.1  | 22.2  | 22.2  | 0.0   | 33       | 94.3 | 88.9  | 100.0 | 100.0 | 87.5  |
| <b>Scaly-breasted Lorikeet</b>      | <i>Trichoglossus chlorolepidotus</i> | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 30       | 85.7 | 77.8  | 100.0 | 100.0 | 62.5  |
| Budgerigar                          | <i>Melopsittacus undulatus</i>       | 1                 | 2.8   | 0.0   | 11.1  | 0.0   | 0.0   |          |      |       |       |       |       |
| <b>Green Catbird</b>                | <i>Ailuroedus crassirostris</i>      | 35                | 97.2  | 100.0 | 88.9  | 100.0 | 100.0 | 18       | 51.4 | 100.0 | 33.3  | 11.1  | 62.5  |
| Regent Bowerbird                    | <i>Sericulus chrysocephalus</i>      | 32                | 88.9  | 100.0 | 66.7  | 88.9  | 100.0 | 29       | 82.9 | 77.8  | 88.9  | 88.9  | 75.0  |
| <b>Satin Bowerbird</b>              | <i>Ptilonorhynchus violaceus</i>     | 33                | 91.7  | 100.0 | 88.9  | 77.8  | 100.0 | 9        | 25.7 | 22.2  | 22.2  | 33.3  | 25.0  |
| White-throated Treecreeper          | <i>Cormobates leucophaea</i>         | 12                | 33.3  | 22.2  | 44.4  | 33.3  | 33.3  | 27       | 77.1 | 66.7  | 88.9  | 88.9  | 62.5  |

**Appendix** continued

|                                 | Season                              | Survey 1          |      |       |       |      |       | Survey 2 |       |       |       |       |       |
|---------------------------------|-------------------------------------|-------------------|------|-------|-------|------|-------|----------|-------|-------|-------|-------|-------|
|                                 |                                     | Total             |      | Sum   | Aut   | Win  | Spr   | Total    |       | Sum   | Aut   | Win   | Spr   |
|                                 |                                     | Number of surveys |      |       |       |      |       |          |       |       |       |       |       |
| <b>Variegated Fairy-wren</b>    | <i>Malurus lamberti</i>             | 25                | 69.4 | 66.7  | 77.8  | 55.6 | 77.8  | 28       | 80.0  | 88.9  | 66.7  | 77.8  | 87.5  |
| <b>Superb Fairy-wren</b>        | <i>Malurus cyaneus</i>              | 17                | 47.2 | 55.6  | 33.3  | 66.7 | 33.3  | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Red-backed Fairy-wren           | <i>Malurus melanocephalus</i>       | 1                 | 2.8  | 0.0   | 0.0   | 0.0  | 11.1  |          |       |       |       |       |       |
| Southern Emu-wren               | <i>Stipiturus malachurus</i>        | 9                 | 25.0 | 33.3  | 44.4  | 11.1 | 11.1  | 18       | 51.4  | 66.7  | 33.3  | 44.4  | 62.5  |
| Scarlet Honeyeater              | <i>Myzomela sanguinolenta</i>       | 7                 | 19.4 | 11.1  | 33.3  | 11.1 | 22.2  | 14       | 40.0  | 44.4  | 55.6  | 11.1  | 50.0  |
| <b>Striped Honeyeater</b>       | <i>Plectorhyncha lanceolata</i>     | 4                 | 11.1 | 0.0   | 33.3  | 11.1 | 0.0   | 12       | 34.3  | 66.7  | 11.1  | 11.1  | 50.0  |
| Noisy Friarbird                 | <i>Philemon corniculatus</i>        | 21                | 58.3 | 33.3  | 66.7  | 88.9 | 44.4  | 27       | 77.1  | 66.7  | 77.8  | 66.7  | 100.0 |
| Little Friarbird                | <i>Philemon citreogularis</i>       | 2                 | 5.6  | 0.0   | 0.0   | 0.0  | 22.2  |          |       |       |       |       |       |
| <b>Brown Honeyeater</b>         | <i>Lichmera indistincta</i>         |                   |      |       |       |      |       | 24       | 68.6  | 88.9  | 66.7  | 44.4  | 75.0  |
| Crescent Honeyeater             | <i>Phylidonyris pyrrhopterus</i>    | 1                 | 2.8  | 0.0   | 11.1  | 0.0  | 0.0   |          |       |       |       |       |       |
| New Holland Honeyeater          | <i>Phylidonyris novaehollandiae</i> | 18                | 50.0 | 55.6  | 55.6  | 55.6 | 33.3  | 33       | 94.3  | 100.0 | 88.9  | 88.9  | 100.0 |
| <b>White-checked Honeyeater</b> | <i>Phylidonyris niger</i>           | 30                | 83.3 | 77.8  | 100.0 | 77.8 | 77.8  | 34       | 97.1  | 100.0 | 88.9  | 100.0 | 100.0 |
| White-eared Honeyeater          | <i>Nesoptilotis leucotis</i>        |                   |      |       |       |      |       |          |       |       |       |       |       |
| Blue-faced Honeyeater           | <i>Entomyzon cyanotis</i>           | 2                 | 5.6  | 0.0   | 11.1  | 11.1 | 0.0   | 1        | 2.9   | 0.0   | 11.1  | 0.0   | 0.0   |
| White-naped Honeyeater          | <i>Melithreptus lunatus</i>         | 2                 | 5.6  | 0.0   | 22.2  | 0.0  | 0.0   | 3        | 8.6   | 0.0   | 11.1  | 11.1  | 12.5  |
| Tawny-crowned Honeyeater        | <i>Glyciphila melanops</i>          | 27                | 75.0 | 88.9  | 66.7  | 77.8 | 66.7  | 24       | 68.6  | 55.6  | 66.7  | 88.9  | 62.5  |
| Eastern Spinebill               | <i>Acanthorhynchus tenuirostris</i> | 29                | 80.6 | 77.8  | 77.8  | 66.7 | 100.0 | 31       | 88.6  | 77.8  | 88.9  | 100.0 | 87.5  |
| White-fronted Chat <sup>v</sup> | <i>Epthianura albifrons</i>         | 5                 | 13.9 | 22.2  | 11.1  | 0.0  | 22.2  |          |       |       |       |       |       |
| Lewin's Honeyeater              | <i>Meliphaga lewinii</i>            | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>Little Wattlebird</b>        | <i>Anthochaera chrysoptera</i>      | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>Red Wattlebird</b>           | <i>Anthochaera carunculata</i>      | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 24       | 68.6  | 44.4  | 88.9  | 77.8  | 62.5  |
| <b>Yellow-faced Honeyeater</b>  | <i>Caligavis chrysops</i>           | 34                | 94.4 | 100.0 | 88.9  | 88.9 | 100.0 | 32       | 91.4  | 88.9  | 100.0 | 88.9  | 87.5  |
| <b>Noisy Miner</b>              | <i>Manorina melanocephala</i>       | 15                | 41.7 | 33.3  | 44.4  | 22.2 | 66.7  | 16       | 45.7  | 33.3  | 77.8  | 44.4  | 25.0  |

**Appendix** continued

|                                     | Season                                  | Survey 1          |      |       |       |      |       | Survey 2 |       |       |       |       |       |
|-------------------------------------|---|-------------------|------|-------|-------|------|-------|----------|-------|-------|-------|-------|-------|
|                                     |   | Total             |      | Sum   | Aut   | Win  | Spr   | Total    |       | Sum   | Aut   | Win   | Spr   |
|                                     |   | Number of surveys |      |       |       |      |       |          |       |       |       |       |       |
| Spotted Pardalote                   | <i>Pardalotus punctatus</i>             | 26                | 72.2 | 44.4  | 77.8  | 77.8 | 88.9  | 28       | 80.0  | 66.7  | 77.8  | 88.9  | 87.5  |
| <b>Striated Pardalote</b>           | <b><i>Pardalotus striatus</i></b>       | 13                | 36.1 | 0.0   | 33.3  | 55.6 | 55.6  | 1        | 2.9   | 0.0   | 0.0   | 11.1  | 0.0   |
| <b>Brown Gerygone</b>               | <b><i>Gerygone mouki</i></b>            | 14                | 38.9 | 11.1  | 66.7  | 55.6 | 22.2  | 29       | 82.9  | 100.0 | 88.9  | 88.9  | 50.0  |
| White-throated Gerygone             | <i>Gerygone olivacea</i>                | 5                 | 13.9 | 0.0   | 0.0   | 0.0  | 55.6  | 2        | 5.7   | 22.2  | 0.0   | 0.0   | 0.0   |
| Mangrove Gerygone                   | <i>Gerygone levigaster</i>              |                   |      |       |       |      |       | 2        | 5.7   | 0.0   | 22.2  | 0.0   | 0.0   |
| Yellow-throated Scrubwren           | <i>Sericornis citreogularis</i>         | 1                 | 2.8  | 11.1  | 0.0   | 0.0  | 0.0   | 9        | 25.7  | 22.2  | 22.2  | 33.3  | 25.0  |
| White-browed Scrubwren              | <i>Sericornis frontalis</i>             | 26                | 72.2 | 77.8  | 77.8  | 55.6 | 77.8  | 31       | 88.6  | 100.0 | 77.8  | 88.9  | 87.5  |
| Large-billed Scrubwren              | <i>Sericornis magnirostra</i>           | 6                 | 16.7 | 44.4  | 22.2  | 0.0  | 0.0   | 15       | 42.9  | 66.7  | 55.6  | 22.2  | 25.0  |
| <b>Yellow Thornbill</b>             | <b><i>Acanthiza nana</i></b>            | 27                | 75.0 | 88.9  | 66.7  | 66.7 | 77.8  | 30       | 85.7  | 100.0 | 88.9  | 88.9  | 62.5  |
| Striated Thornbill                  | <i>Acanthiza lineata</i>                | 4                 | 11.1 | 11.1  | 22.2  | 11.1 | 0.0   | 4        | 11.4  | 0.0   | 11.1  | 11.1  | 25.0  |
| Brown Thornbill                     | <i>Acanthiza pusilla</i>                | 16                | 44.4 | 33.3  | 55.6  | 33.3 | 55.6  | 33       | 94.3  | 100.0 | 100.0 | 100.0 | 75.0  |
| <b>Varied Sittella</b> <sup>V</sup> | <b><i>Daphoenositta chrysoptera</i></b> | 10                | 27.8 | 22.2  | 11.1  | 44.4 | 33.3  | 4        | 11.4  | 11.1  | 22.2  | 0.0   | 12.5  |
| <b>Black-faced Cuckoo-shrike</b>    | <b><i>Coracina novaehollandiae</i></b>  | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 31       | 88.6  | 88.9  | 88.9  | 88.9  | 87.5  |
| White-bellied Cuckoo-shrike         | <i>Coracina papuensis</i>               | 1                 | 2.8  | 0.0   | 11.1  | 0.0  | 0.0   |          |       |       |       |       |       |
| Cicadabird                          | <i>Edolisoma tenuirostris</i>           | 13                | 36.1 | 88.9  | 11.1  | 0.0  | 44.4  | 5        | 14.3  | 22.2  | 0.0   | 0.0   | 37.5  |
| White-winged Triller                | <i>Lalage tricolor</i>                  |                   |      |       |       |      |       | 2        | 5.7   | 0.0   | 0.0   | 0.0   | 25.0  |
| Varied Triller                      | <i>Lalage leucomela</i>                 | 1                 | 2.8  | 0.0   | 0.0   | 0.0  | 11.1  |          |       |       |       |       |       |
| Rufous Whistler                     | <i>Pachycephala rufiventris</i>         | 14                | 38.9 | 55.6  | 11.1  | 11.1 | 77.8  | 13       | 37.1  | 66.7  | 11.1  | 11.1  | 62.5  |
| <b>Golden Whistler</b>              | <b><i>Pachycephala pectoralis</i></b>   | 28                | 77.8 | 55.6  | 88.9  | 77.8 | 88.9  | 32       | 91.4  | 100.0 | 77.8  | 88.9  | 100.0 |
| Grey Shrike-thrush                  | <i>Colluricincla harmonica</i>          | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 34       | 97.1  | 88.9  | 100.0 | 100.0 | 100.0 |
| Crested Shrike-tit                  | <i>Falcunculus frontatus</i>            | 3                 | 8.3  | 11.1  | 11.1  | 11.1 | 0.0   | 4        | 11.4  | 11.1  | 11.1  | 11.1  | 12.5  |
| Eastern Whipbird                    | <i>Psophodes olivaceus</i>              | 35                | 97.2 | 100.0 | 100.0 | 88.9 | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>Australasian Figbird</b>         | <b><i>Sphecotheres vieilloti</i></b>    | 28                | 77.8 | 100.0 | 66.7  | 44.4 | 100.0 | 26       | 74.3  | 88.9  | 66.7  | 55.6  | 87.5  |



**Appendix** continued

|                                       | Season                        | Survey 1          |       |       |       |       |       | Survey 2 |       |       |       |       |       |
|---------------------------------------|-------------------------------|-------------------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
|                                       |                               | Total             |       | Sum   | Aut   | Win   | Spr   | Total    |       | Sum   | Aut   | Win   | Spr   |
|                                       |                               | Number of surveys |       |       |       |       |       |          |       |       |       |       |       |
| <b>Olive-backed Oriole</b>            | <i>Oriolus sagittatus</i>     | 15                | 41.7  | 55.6  | 0.0   | 11.1  | 100.0 | 20       | 57.1  | 55.6  | 44.4  | 44.4  | 87.5  |
| <b>Pied Currawong</b>                 | <i>Strepera graculina</i>     | 34                | 94.4  | 100.0 | 100.0 | 88.9  | 88.9  | 32       | 91.4  | 77.8  | 100.0 | 100.0 | 87.5  |
| <b>Australian Magpie</b>              | <i>Gymnorhina tibicen</i>     | 36                | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 34       | 97.1  | 100.0 | 100.0 | 100.0 | 87.5  |
| Pied Butcherbird                      | <i>Cracticus nigrogularis</i> |                   |       |       |       |       |       | 28       | 80.0  | 55.6  | 77.8  | 100.0 | 87.5  |
| <b>Grey Butcherbird</b>               | <i>Cracticus torquatus</i>    | 34                | 94.4  | 100.0 | 100.0 | 88.9  | 88.9  | 32       | 91.4  | 88.9  | 88.9  | 88.9  | 100.0 |
| Masked Woodswallow                    | <i>Artamus personatus</i>     |                   |       |       |       |       |       |          |       |       |       |       |       |
| <b>Dusky Woodswallow</b> <sup>V</sup> | <i>Artamus cyanopterus</i>    | 33                | 91.7  | 100.0 | 100.0 | 77.8  | 88.9  |          |       |       |       |       |       |
| <b>White-breasted Woodswallow</b>     | <i>Artamus leucorhynchus</i>  | 25                | 69.4  | 100.0 | 66.7  | 11.1  | 100.0 | 18       | 51.4  | 77.8  | 44.4  | 0.0   | 87.5  |
| Spangled Drongo                       | <i>Dicrurus bracteatus</i>    | 19                | 52.8  | 11.1  | 77.8  | 77.8  | 44.4  | 18       | 51.4  | 22.2  | 88.9  | 66.7  | 25.0  |
| <b>Willie Wagtail</b>                 | <i>Rhipidura leucophrys</i>   | 25                | 69.4  | 77.8  | 88.9  | 66.7  | 44.4  | 32       | 91.4  | 100.0 | 88.9  | 88.9  | 87.5  |
| Rufous Fantail                        | <i>Rhipidura rufifrons</i>    | 9                 | 25.0  | 55.6  | 22.2  | 0.0   | 22.2  | 15       | 42.9  | 77.8  | 44.4  | 0.0   | 50.0  |
| <b>Grey Fantail</b>                   | <i>Rhipidura fuliginosa</i>   | 33                | 91.7  | 88.9  | 100.0 | 77.8  | 100.0 | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Torresian Crow                        | <i>Corvus orru</i>            | 33                | 91.7  | 100.0 | 100.0 | 66.7  | 100.0 | 33       | 94.3  | 100.0 | 88.9  | 88.9  | 100.0 |
| Forest Raven                          | <i>Corvus tasmanicus</i>      | 2                 | 5.6   | 0.0   | 0.0   | 22.2  | 0.0   | 12       | 34.3  | 55.6  | 22.2  | 33.3  | 25.0  |
| Australian Raven                      | <i>Corvus coronoides</i>      | 4                 | 11.1  | 0.0   | 22.2  | 11.1  | 11.1  | 1        | 2.9   | 0.0   | 0.0   | 11.1  | 0.0   |
| <b>Leaden Flycatcher</b>              | <i>Myiagra rubecula</i>       | 16                | 44.4  | 77.8  | 33.3  | 0.0   | 66.7  | 11       | 31.4  | 44.4  | 11.1  | 0.0   | 75.0  |
| Restless Flycatcher                   | <i>Myiagra inquieta</i>       |                   |       |       |       |       |       |          |       |       |       |       |       |
| Magpie-lark                           | <i>Grallina cyanoleuca</i>    | 6                 | 16.7  | 11.1  | 22.2  | 22.2  | 11.1  | 32       | 91.4  | 100.0 | 88.9  | 77.8  | 100.0 |
| Black-faced Monarch                   | <i>Monarcha melanopsis</i>    | 2                 | 5.6   | 0.0   | 11.1  | 0.0   | 11.1  | 14       | 40.0  | 77.8  | 11.1  | 11.1  | 62.5  |
| Rose Robin                            | <i>Petroica rosea</i>         | 8                 | 22.2  | 0.0   | 22.2  | 66.7  | 0.0   | 5        | 14.3  | 0.0   | 33.3  | 22.2  | 0.0   |
| Jacky Winter                          | <i>Microeca fascians</i>      | 1                 | 2.8   | 0.0   | 11.1  | 0.0   | 0.0   |          |       |       |       |       |       |
| <b>Eastern Yellow Robin</b>           | <i>Eopsaltria australis</i>   | 25                | 69.4  | 66.7  | 66.7  | 66.7  | 77.8  | 35       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Mistletoebird                         | <i>Dicaeum hirundinaceum</i>  | 4                 | 11.1  | 0.0   | 22.2  | 22.2  | 0.0   | 5        | 14.3  | 11.1  | 11.1  | 33.3  | 0.0   |

**Appendix** continued

|                                | Season                            | Survey 1          |      |      |       |      |       | Survey 2 |      |       |       |       |       |
|--------------------------------|-----------------------------------|-------------------|------|------|-------|------|-------|----------|------|-------|-------|-------|-------|
|                                |                                   | Total             |      | Sum  | Aut   | Win  | Spr   | Total    |      | Sum   | Aut   | Win   | Spr   |
|                                |                                   | Number of surveys |      |      |       |      |       |          |      |       |       |       |       |
| Red-browed Finch               | <i>Neochmia temporalis</i>        | 33                | 91.7 | 88.9 | 88.9  | 88.9 | 100.0 | 30       | 85.7 | 100.0 | 77.8  | 88.9  | 75.0  |
| Zebra Finch                    | <i>Taeniopygia guttata</i>        | 1                 | 2.8  | 11.1 | 0.0   | 0.0  | 0.0   |          |      |       |       |       |       |
| Australasian Pipit             | <i>Anthus novaeseelandiae</i>     | 14                | 38.9 | 44.4 | 22.2  | 55.6 | 33.3  | 4        | 11.4 | 11.1  | 0.0   | 0.0   | 37.5  |
| <b>Golden-headed Cisticola</b> | <b><i>Cisticola exilis</i></b>    | 16                | 44.4 | 77.8 | 22.2  | 11.1 | 66.7  |          |      |       |       |       |       |
| Brown Songlark                 | <i>Cincloramphus cruralis</i>     | 1                 | 2.8  | 0.0  | 11.1  | 0.0  | 0.0   |          |      |       |       |       |       |
| Tawny Grassbird                | <i>Cincloramphus timoriensis</i>  | 13                | 36.1 | 44.4 | 33.3  | 22.2 | 44.4  | 13       | 37.1 | 66.7  | 11.1  | 11.1  | 62.5  |
| Australian Reed-Warbler        | <i>Acrocephalus australis</i>     | 1                 | 2.8  | 0.0  | 11.1  | 0.0  | 0.0   |          |      |       |       |       |       |
| Tree Martin                    | <i>Petrochelidon nigricans</i>    | 10                | 27.8 | 44.4 | 33.3  | 22.2 | 11.1  | 1        | 2.9  | 0.0   | 0.0   | 0.0   | 12.5  |
| <b>Welcome Swallow</b>         | <b><i>Hirundo neoxena</i></b>     | 33                | 91.7 | 88.9 | 100.0 | 88.9 | 88.9  | 34       | 97.1 | 88.9  | 100.0 | 100.0 | 100.0 |
| <b>Silvereye</b>               | <b><i>Zosterops lateralis</i></b> | 29                | 80.6 | 77.8 | 100.0 | 55.6 | 88.9  | 34       | 97.1 | 100.0 | 100.0 | 100.0 | 87.5  |
| Common Starling                | <i>Sturnus vulgaris</i>           | 8                 | 22.2 | 22.2 | 11.1  | 11.1 | 44.4  |          |      |       |       |       |       |
| Common Myna                    | <i>Acridotheres tristis</i>       |                   |      |      |       |      |       | 13       | 37.1 | 33.3  | 55.6  | 33.3  | 25.0  |
| Thrush sp.                     | <i>Zoothera sp.</i>               | 1                 | 2.8  | 0.0  | 0.0   | 11.1 | 0.0   | 5        | 14.3 | 11.1  | 11.1  | 22.2  | 12.5  |

<sup>V</sup> - Vulnerable under *Biodiversity Conservation Act 2016* (NSW)

<sup>E</sup> - Endangered under *Biodiversity Conservation Act 2016* (NSW)

<sup>CE</sup> - Critically Endangered under *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

<sup>E1</sup> - Endangered under *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

<sup>V1</sup> - Vulnerable under *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)