

## APPENDIX to *Spring Bird Surveys in the Gloucester Tops*

### Reporting Rates (RR) for all species recorded during surveys in each of the three altitude zones

Common Name	Scientific Name	Below 450m (Zone 1)		450-1100m (Zone 2)		Above 1100m (Zone 3)	
		No. of surveys	43	No. of surveys	27	No. of surveys	306
		No. of records	RR (%)	No. of records	RR (%)	No. of records	RR (%)
Australian Brush-turkey	<i>Alectura lathamii</i>	27	62.8	0	–	4	1.3
White-headed Pigeon	<i>Columba leucomela</i>	1	2.3	0	–	0	–
Brown Cuckoo-Dove	<i>Macropygia phasianella</i>	15	34.9	8	42.1	5	1.6
Wonga Pigeon	<i>Leucosarcia melanoleuca</i>	22	51.2	5	26.3	1	0.3
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	3	7.0	0	–	2	0.6
Pheasant Coucal	<i>Centropus phasianinus</i>	0	–	1	5.3	0	–
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	1	2.3	1	5.3	0	–
Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	14	32.6	5	26.3	5	1.6
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	28	65.1	5	26.3	75	24.5
Brush Cuckoo	<i>Cacomantis variolosus</i>	1	2.3	0	–	0	–
Tawny Frogmouth	<i>Podargus strigoides</i>	11	25.6	0	–	0	–
Australian Owlet-nightjar	<i>Aegotheles cristatus</i>	5	11.6	0	–	0	–
Lewin's Rail	<i>Lewinia pectoralis</i>	0	–	0	–	2	0.6
Masked Lapwing	<i>Vanellus miles</i>	1	2.3	0	–	0	–
Grey Goshawk	<i>Accipiter novaehollandiae</i>	0	–	0	–	1	0.3
Brown Goshawk	<i>Accipiter fasciatus</i>	2	4.6	1	5.3	1	0.3
Collared Sparrowhawk	<i>Accipiter cirrocephalus</i>	0	–	0	–	2	0.6
Southern Boobook	<i>Ninox boobook</i>	14	32.6	0	–	0	–
Dollarbird	<i>Eurystomus orientalis</i>	0	–	1	5.3	0	–
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	35	81.4	4	21.0	35	11.4
Australian Hobby	<i>Falco longipennis</i>	0	–	0	–	1	0.3
Glossy Black-Cockatoo	<i>Calyptorhynchus lathamii</i>	3	7.0	0	–	0	–
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	11	25.6	0	–	31	10.1
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	23	53.5	7	36.8	3	1.0

## APPENDIX to *Spring Bird Surveys in the Gloucester Tops*

### Reporting Rates (RR) for all species recorded during surveys in each of the three altitude zones

Common Name	Scientific Name	Below 450m (Zone 1)		450-1100m (Zone 2)		Above 1100m (Zone 3)	
		No. of surveys	43	No. of surveys	27	No. of surveys	306
		No. of records	RR (%)	No. of records	RR (%)	No. of records	RR (%)
Australian King-Parrot	<i>Alisterus scapularis</i>	22	51.2	0	–	33	10.8
Crimson Rosella	<i>Platycercus elegans</i>	29	67.4	14	73.7	247	80.7
Noisy Pitta	<i>Pitta versicolor</i>	13	30.2	2	10.5	0	–
Superb Lyrebird	<i>Menura novaehollandiae</i>	38	88.4	8	42.1	88	28.8
Rufous Scrub-bird	<i>Atrichornis rufescens</i>	0	–	0	–	178	58.2
Green Catbird	<i>Ailuroedus crassirostris</i>	18	41.9	4	21.0	1	0.3
Regent Bowerbird	<i>Sericulus chrysocephalus</i>	1	2.3	0	–	0	–
Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	30	69.8	4	21.0	48	15.7
White-throated Treecreeper	<i>Cormobates leucophaea</i>	21	48.8	16	84.2	249	81.4
Red-browed Treecreeper	<i>Climacteris erythroptis</i>	0	–	0	–	37	12.1
Superb Fairy-wren	<i>Malurus cyaneus</i>	38	88.4	0	–	4	1.3
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	8	18.6	3	15.8	3	1.0
Noisy Friarbird	<i>Philemon corniculatus</i>	4	9.3	0	–	3	1.0
Crescent Honeyeater	<i>Phylidonyris pyrrhopterus</i>	0	–	0	–	103	33.6
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	3	7.0	0	–	22	7.2
White-naped Honeyeater	<i>Meliphaga lunata</i>	7	16.3	1	5.3	5	1.6
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	26	60.5	6	31.6	90	29.4
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	39	90.7	18	94.7	24	7.8
Red Wattlebird	<i>Anthochaera carunculata</i>	1	2.3	0	–	33	10.8
Fuscous Honeyeater	<i>Ptilotula fusca</i>	0	–	0	–	2	0.6
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	23	53.5	3	15.8	61	19.9
Bell Miner	<i>Manorina melanophrys</i>	2	4.6	8	42.1	1	0.3
Spotted Pardalote	<i>Pardalotus punctatus</i>	20	46.5	14	73.7	147	48.0
Striated Pardalote	<i>Pardalotus striatus</i>	2	4.6	1	5.3	98	32.0

## APPENDIX to *Spring Bird Surveys in the Gloucester Tops*

### Reporting Rates (RR) for all species recorded during surveys in each of the three altitude zones

Common Name	Scientific Name	Below 450m (Zone 1)		450-1100m (Zone 2)		Above 1100m (Zone 3)	
		No. of surveys	43	No. of surveys	27	No. of surveys	306
		No. of records	RR (%)	No. of records	RR (%)	No. of records	RR (%)
Brown Gerygone	<i>Gerygone mouki</i>	41	95.3	16	84.2	41	13.4
Yellow-throated Scrubwren	<i>Sericornis citreogularis</i>	15	34.9	0	–	28	9.1
White-browed Scrubwren	<i>Sericornis frontalis</i>	28	65.1	11	57.9	242	79.1
Large-billed Scrubwren	<i>Sericornis magnirostra</i>	5	11.6	3	15.8	23	7.5
Yellow Thornbill	<i>Acanthiza nana</i>	1	2.3	0	–	0	–
Striated Thornbill	<i>Acanthiza lineata</i>	6	13.9	5	26.3	109	35.6
Brown Thornbill	<i>Acanthiza pusilla</i>	28	65.1	14	73.7	272	88.9
Australian Logrunner	<i>Orthonyx temminckii</i>	1	2.3	1	5.3	5	1.6
Varied Sittella	<i>Daphoenositta chrysoptera</i>	0	–	0	–	3	1.0
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	3	7.0	1	5.3	5	1.6
Cicadabird	<i>Edolisoma tenuirostris</i>	2	4.6	0	–	1	0.3
Olive Whistler	<i>Pachycephala olivacea</i>	0	–	0	–	107	35.0
Rufous Whistler	<i>Pachycephala rufiventris</i>	1	2.3	2	10.5	8	2.6
Golden Whistler	<i>Pachycephala pectoralis</i>	36	83.7	18	94.7	202	66.0
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	17	39.5	10	52.6	121	39.5
Crested Shrike-tit	<i>Falcunculus frontatus</i>	3	7.0	3	11.1	15	4.9
Eastern Whipbird	<i>Psophodes olivaceus</i>	31	72.1	17	89.5	207	67.6
Pied Currawong	<i>Strepera graculina</i>	35	81.4	5	26.3	166	54.2
Australian Magpie	<i>Gymnorhina tibicen</i>	0	–	0	–	1	0.3
Grey Butcherbird	<i>Cracticus torquatus</i>	4	9.3	0	–	0	–
Willie Wagtail	<i>Rhipidura leucophrys</i>	4	9.3	0	–	0	–
Rufous Fantail	<i>Rhipidura rufifrons</i>	4	9.3	4	21.0	8	2.6
Grey Fantail	<i>Rhipidura fuliginosa</i>	38	88.4	18	94.7	229	74.8
Australian Raven	<i>Corvus coronoides</i>	18	41.9	0	–	1	0.3

## APPENDIX to *Spring Bird Surveys in the Gloucester Tops*

Reporting Rates (RR) for all species recorded during surveys in each of the three altitude zones

Common Name	Scientific Name	Below 450m (Zone 1)		450-1100m (Zone 2)		Above 1100m (Zone 3)	
		No. of surveys	43	No. of surveys	27	No. of surveys	306
		No. of records	RR (%)	No. of records	RR (%)	No. of records	RR (%)
Leaden Flycatcher	<i>Myiagra rubecula</i>	1	2.3	1	5.3	4	1.3
Satin Flycatcher	<i>Myiagra cyanoleuca</i>	0	–	0	–	4	1.3
Restless Flycatcher	<i>Myiagra inquieta</i>	1	2.3	0	–	0	–
Magpie-lark	<i>Grallina cyanoleuca</i>	1	2.3	0	–	0	–
Spectacled Monarch	<i>Symposiachrus trivirgatus</i>	9	20.9	0	–	0	–
Black-faced Monarch	<i>Monarcha melanopsis</i>	23	53.5	11	57.9	30	9.8
Paradise Riflebird	<i>Lophorina paradiseus</i>	3	7.0	8	42.1	4	1.3
Rose Robin	<i>Petroica rosea</i>	32	74.4	8	42.1	123	40.2
Flame Robin	<i>Petroica phoenicea</i>	0	–	0	–	48	15.7
Scarlet Robin	<i>Petroica multicolor</i>	0	–	0	–	5	1.6
Eastern Yellow Robin	<i>Eopsaltria australis</i>	38	88.4	7	36.8	147	48.0
Pale-yellow Robin	<i>Tregellasia capito</i>	2	4.6	0	–	1	0.3
Mistletoebird	<i>Dicaeum hirundinaceum</i>	1	2.3	0	–	5	1.6
Red-browed Finch	<i>Neochmia temporalis</i>	33	76.7	1	5.3	4	1.3
Australasian Pipit	<i>Anthus novaeseelandiae</i>	1	2.3	0	–	0	–
White-backed Swallow	<i>Cheramoeca leucosterna</i>	1	2.3	0	–	0	–
Tree Martin	<i>Petrochelidon nigricans</i>	3	7.0	0	–	1	0.3
Welcome Swallow	<i>Hirundo neoxena</i>	33	76.7	0	–	0	–
Silvereye	<i>Zosterops lateralis</i>	14	32.6	4	21.0	39	12.8
Bassian Thrush	<i>Zoothera lunulata</i>	15	34.9	0	–	24	7.8
Russet-tailed Thrush	<i>Zoothera heinei</i>	31	72.1	1	5.3	1	0.3