

Newman, M. and Driessen, J. (2026) How remnant farm vegetation contributes to the resilience of bird populations: an example from near Paterson NSW. *The Whistler* 20 (2026): 39-49.

Appendix

Table A1. Reporting Rates (RR) for species seen at 2 ha survey sites, listed in AviList (2025) taxonomic order.

Species	Site 1 RR (%)	Site 2 RR (%)	Site 3 RR (%)	Site 4 RR (%)	Combined sites RR (%)	No. of sites present
Maned Duck <i>Chenonetta jubata</i>	5.5	2.8	1.4	0	2.4	3
Pacific Black Duck <i>Anas superciliosa</i>	8.2	23.9	6.8	0	9.7	3
Chestnut Teal <i>Anas castanea</i>	0	2.8	0	0	0.7	1
Brown Quail <i>Synoicus ypsilophorus</i>	0	2.8	0	0	0.7	1
Pheasant Coucal <i>Centropus phasianinus</i>	0	1.4	0	0	0.3	1
Pacific Koel <i>Eudynamis orientalis</i>	0	1.4	1.4	0	0.7	2
Shining Bronze Cuckoo <i>Chalcites lucidus</i>	1.4	7	8.2	4.1	5.2	4
Fan-tailed Cuckoo <i>Cacomantis flabelliformis</i>	0	1.4	2.7	5.5	2.4	3
Spotted Dove <i>Spilopelia chinensis</i>	0	2.8	0	0	0.7	1
Bar-shouldered Dove <i>Geopelia humeralis</i>	4.1	2.8	4.1	0	2.8	4
Crested Pigeon <i>Ocyphaps lophotes</i>	9.6	5.6	1.4	0	4.1	3
Topknot Pigeon <i>Lopholaimus antarcticus</i>	0	1.4	1.4	0	0.7	2
Purple Swamphen <i>Porphyrio porphyrio</i>	2.7	8.5	5.5	0	4.1	3
Masked Lapwing <i>Vanellus miles</i>	1.4	4.2	0	1.4	1.7	3
Australasian Darter <i>Anhinga novaehollandiae</i>	1.4	0	0	0	0.3	1
Little Pied Cormorant <i>Microcarbo melanoleucos</i>	1.4	1.4	0	1.4	1	3
Royal Spoonbill <i>Platalea regia</i>	0	2.8	0	0	0.7	1
Straw-necked Ibis <i>Threskiornis spinicollis</i>	0	1.4	0	0	0.3	4
White-faced Heron <i>Egretta novaehollandiae</i>	2.7	4.2	0	0	1.7	2
Nankeen Night Heron <i>Nycticorax caledonicus</i>	1.4	4.2	1.4	0	1.7	3
Great Egret <i>Ardea alba</i>	1.4	0	0	0	0.3	1
Eastern Cattle Egret <i>Bubulcus coromanda</i>	1.4	7	6.8	0	3.8	3
Australian Owllet-nightjar <i>Aegotheles cristatus</i>	0	0	0	1.4	0.3	1
Australian Boobook <i>Ninox boobook</i>	0	2.8	1.4	0	1	2
White-throated Needletail <i>Hirundapus caudacutus</i>	1.4	0	0	0	0.3	1
Pacific Baza <i>Aviceda subcristata</i>	0	0	0	1.4	0.3	1
Wedge-tailed Eagle <i>Aquila audax</i>	0	0	1.4	1.4	0.7	2
Collared Sparrowhawk <i>Accipiter cirrocephalus</i>	0	1.4	2.7	0	1	2
Grey Goshawk <i>Accipiter novaehollandiae</i>	0	2.8	0	1.4	1	2
Brown Goshawk <i>Accipiter fasciatus</i>	0	2.8	0	0	0.7	1
Whistling Kite <i>Haliastur sphenurus</i>	0	0	0	1.4	0.3	2
Oriental Dollarbird <i>Eurystomus orientalis</i>	2.7	5.6	6.8	2.7	4.5	4
Laughing Kookaburra <i>Dacelo novaeguineae</i>	23.3	18.3	20.5	17.8	20	4
Sacred Kingfisher <i>Todiramphus sanctus</i>	13.7	4.2	26	15.1	14.8	4
Galah <i>Eolophus roseicapilla</i>	13.7	9.9	1.4	2.7	6.9	4
Little Corella <i>Cacatua sanguinea</i>	0	1.4	0	0	0.3	1
Long-billed Corella <i>Cacatua tenuirostris</i>	0	1.4	0	0	0.3	1

Species	Site 1 RR (%)	Site 2 RR (%)	Site 3 RR (%)	Site 4 RR (%)	Combined sites RR (%)	No. of sites present
Australian King Parrot <i>Alisterus scapularis</i>	1.4	2.8	4.1	4.1	3.1	4
Eastern Rosella <i>Platycercus eximius</i>	37	42.3	27.4	13.7	30	4
Red-rumped Parrot <i>Psephotus haematonotus</i>	1.4	0	0	0	0.3	1
Little Lorikeet <i>Glossopsitta pusilla</i>	2.7	1.4	2.7	1.4	2.1	4
Musk Lorikeet <i>Glossopsitta concinna</i>	5.5	2.8	1.4	1.4	2.8	4
Rainbow Lorikeet <i>Trichoglossus moluccanus</i>	6.8	0	2.7	0	2.4	2
White-throated Treecreeper <i>Cormobates leucophaea</i>	2.7	1.4	12.3	49.3	16.6	4
Satin Bowerbird <i>Ptilonorhynchus violaceus</i>	5.5	7	6.8	1.4	5.2	4
Variegated Fairywren <i>Malurus lamberti</i>	1.4	1.4	0	13.7	4.1	3
Superb Fairywren <i>Malurus cyaneus</i>	65.8	93	72.6	50.7	70.3	4
Spotted Pardalote <i>Pardalotus punctatus</i>	27.4	33.8	34.2	45.2	35.2	4
Striated Pardalote <i>Pardalotus striatus</i>	9.6	7	4.1	9.6	7.6	4
Brown Gerygone <i>Gerygone mouki</i>	0	2.8	1.4	9.6	3.4	3
White-throated Gerygone <i>Gerygone olivacea</i>	35.6	9.9	38.4	12.3	24.1	4
Yellow-rumped Thornbill <i>Acanthiza chrysorrhoa</i>	5.5	15.5	4.1	0	6.2	3
Yellow Thornbill <i>Acanthiza nana</i>	57.5	71.8	60.3	41.1	57.6	4
Striated Thornbill <i>Acanthiza lineata</i>	31.5	1.4	30.1	34.2	24.5	4
Brown Thornbill <i>Acanthiza pusilla</i>	35.6	77.5	35.6	31.5	44.8	4
Buff-rumped Thornbill <i>Acanthiza reguloides</i>	0	0	0	2.7	0.7	1
Speckled Warbler <i>Pyrholaemus sagittatus</i>	2.7	0	0	9.6	3.1	2
White-browed Scrubwren <i>Sericornis frontalis</i>	1.4	47.9	17.8	20.5	21.7	4
Eastern Spinebill <i>Acanthorhynchus tenuirostris</i>	12.3	9.9	11	24.7	14.5	4
Scarlet Myzomela <i>Myzomela sanguinolenta</i>	17.8	19.7	21.9	42.5	25.5	4
Noisy Friarbird <i>Philemon corniculatus</i>	2.7	1.4	6.8	1.4	3.1	4
Blue-faced Honeyeater <i>Entomyzon cyanotis</i>	0	0	1.4	0	0.3	1
White-naped Honeyeater <i>Melithreptus lunatus</i>	0	0	0	13.7	3.4	1
Brown-headed Honeyeater <i>Melithreptus brevirostris</i>	4.1	1.4	5.5	1.4	3.1	4
Lewin's Honeyeater <i>Meliphaga lewinii</i>	4.1	15.5	21.9	30.1	17.9	4
Fuscous Honeyeater <i>Ptilotula fusca</i>	1.4	0	0	2.7	1	2
Yellow-faced Honeyeater <i>Caligavis chrysops</i>	61.6	59.2	78.1	65.8	66.2	4
Red Wattlebird <i>Anthochaera carunculata</i>	2.7	2.8	1.4	0	1.7	3
Noisy Miner <i>Manorina melanocephala</i>	5.5	8.5	5.5	1.4	5.2	4
Grey-crowned Babbler <i>Pomatostomus temporalis</i>	1.4	4.2	0	0	1.4	2
Black-faced Cuckooshrike <i>Coracina novaehollandiae</i>	13.7	9.9	13.7	9.6	11.7	4
White-bellied Cuckooshrike <i>Coracina papuensis</i>	0	1.4	0	4.1	1.4	2
White-winged Triller <i>Lalage tricolor</i>	0	0	1.4	0	0.3	1
Sahul Cicadabird <i>Edolisoma tenuirostre</i>	0	1.4	2.7	2.7	1.7	3
Pied Currawong <i>Strepera graculina</i>	1.4	0	2.7	1.4	1.4	3
Australian Magpie <i>Gymnorhina tibicen</i>	26	21.1	31.5	1.4	20	4
Grey Butcherbird <i>Cracticus torquatus</i>	4.1	11.3	1.4	2.7	4.8	4
Pied Butcherbird <i>Cracticus nigrogularis</i>	4.1	11.3	8.2	5.5	7.2	4
Varied Sittella <i>Daphoenositta chrysoptera</i>	6.8	1.4	5.5	9.6	5.9	4
Eastern Whipbird <i>Psophodes olivaceus</i>	0	0	1.4	1.4	0.7	2
Eastern Shrike-tit <i>Falcunculus frontatus</i>	0	0	0	1.4	0.3	1

Species	Site 1 RR (%)	Site 2 RR (%)	Site 3 RR (%)	Site 4 RR (%)	Combined sites RR (%)	No. of sites present
Olive-backed Oriole <i>Oriolus sagittatus</i>	0	2.8	1.4	11	3.8	3
Grey Shrikethrush <i>Colluricincla harmonica</i>	5.5	7	17.8	19.2	12.4	4
Australian Golden Whistler <i>Pachycephala pectoralis</i>	21.9	16.9	30.1	28.8	24.5	4
Rufous Whistler <i>Pachycephala rufiventris</i>	43.8	18.3	39.7	39.7	35.5	4
Willie Wagtail <i>Rhipidura leucophrys</i>	19.2	12.7	13.7	0	11.4	3
Australian Rufous Fantail <i>Rhipidura rufifrons</i>	1.4	1.4	1.4	5.5	2.4	4
Grey Fantail <i>Rhipidura albiscapa</i>	53.4	70.4	79.5	72.6	69	4
Spangled Drongo <i>Dicrurus bracteatus</i>	1.4	0	1.4	0	0.7	2
Magpie-lark <i>Grallina cyanoleuca</i>	9.6	9.9	4.1	1.4	6.2	4
Leaden Flycatcher <i>Myiagra rubecula</i>	1.4	1.4	6.8	9.6	4.8	4
Restless Flycatcher <i>Myiagra inquieta</i>	0	0	1.4	0	0.3	1
Black-faced Monarch <i>Monarcha melanopsis</i>	4.1	0	0	5.5	2.4	2
White-winged Chough <i>Corcorax melanorhamphos</i>	0	0	2.7	1.4	1	2
Australian Raven <i>Corvus coronoides</i>	9.6	7	5.5	6.8	7.2	4
Rose Robin <i>Petroica rosea</i>	5.5	1.4	2.7	8.2	4.5	4
Jacky Winter <i>Microeca fascians</i>	8.2	2.8	6.8	11	7.2	4
Eastern Yellow Robin <i>Eopsaltria australis</i>	8.2	11.3	16.4	56.2	23.1	4
Golden-headed Cisticola <i>Cisticola exilis</i>	0	1.4	0	0	0.3	1
Welcome Swallow <i>Hirundo neoxena</i>	2.7	4.2	1.4	1.4	2.4	4
Tree Martin <i>Petrochelidon nigricans</i>	0	0	0	1.4	0.3	1
Silvereye <i>Zosterops lateralis</i>	4.1	19.7	9.6	16.4	12.4	4
Common Myna <i>Acridotheres tristis</i>	0	0	1.4	0	0.3	1
Mistletoebird <i>Dicaeum hirundinaceum</i>	1.4	0	4.1	2.7	2.1	3
Red-browed Finch <i>Neochmia temporalis</i>	21.9	47.9	9.6	41.1	30	4
Double-barred Finch <i>Taeniopygia bichenovii</i>	0	0	0	1.4	0.3	1